

steriCLIN®



PRODUCT CATALOGUE

2022/2023

The new stericlin® colour guidance system

Make it easy for yourself and use our new stericlin® colour coding system for orientation. It visualizes the differentiation between our individual product areas. This way, you will always have an overview when browsing through our catalog and will find the category you are looking for as quickly as possible. But that's not all! In addition to the colour codes, we have provided each product category with its own icon, whose symbolism briefly and concisely reflects the content of the next page.





OR accessories

Supplies for surgical use and patient care in the operating room



Cleaning accessories

Cleaning brushes and various accessories for efficient support of manual and machine cleaning



Indicator systems

Chemical indicators for monitoring the sterilisation process and to supplement the parametric process documentation



See-through packaging

Made of various combinations of materials to pack instruments and individual parts



Wrapping material

In different designs, sizes, colours and combinations - for instrument baskets and sets



CSSD accessories

Sterilisation accessories from stericlin® for maximum safety and to facilitate the work in the CSSD



Labelling / documentation

Identification, controlling, documentation and tracking of sterile barrier systems and medical devices



Sterile goods logistics

For safe sterilisation, transportation and storage of your medical devices

We offer you more ...!



Service and consulting

For us, service and satisfied customers are at the heart of everything we do. We advise and support our customers worldwide in seven languages. The constantly increasing demands on your personnel in the central sterile supply department and specialist departments require permanent training. We support you in this! Our competent staff will provide you with detailed theoretical and practical training on site on the correct use of sterile barrier systems, sterilisation accessories and indicator systems. Furthermore, we organize specialized events and workshops.



+49 (0) 9852 901-289



contact@stericlin.com

Quality & safety

Our sterile barrier systems are manufactured on modern production lines under clean room conditions and on the basis of carefully validated production processes. This includes non-stop control of the production process and complete IT-supported traceability of all materials used. As a stericlin® customer, you can rely on the quality of our products at all times.



Product portfolio

Our broad product range includes indicator systems, sterile barrier systems, sterilisation accessories, products for labeling and documentation, sterile goods logistics products, and hygiene products. Our claim is to continuously develop our products based on your requirements and the applicable standards and laws for medical devices.



Delivery capability

Our high storage capacity and state-of-the-art warehouse technology guarantee safe loading and short-term delivery to you. We maintain a holistic system of interconnected processes, the optimization of which leads to an ever-increasing reduction in response and delivery times.



Climate protection

Environmentally conscious action is part of our corporate policy: we operate 100% climate-neutral. Unavoidable emissions are completely offset by internationally recognized emission reduction certificates. In addition, we meet all requirements of DIN EN ISO 14001 in the field of environmental management and DIN EN ISO 50001 in the field of energy management.

Stericlin®

OR accessories



NEW	Polypropylene button cannula	11
NEW	Disposable plastic bowls	12
NEW	Reusable plastic bowls	13
NEW	Vascular loops	14
NEW	Suture booties	15
NEW	Silicone paws	16

Cleaning accessories



NEW	Surface cleaning brushes	18
NEW	Brushes for hollow instruments	19
NEW	Cleaning brushes for endoscopes	21
NEW	Various accessories	22

Indicator systems



Bowie-Dick test systems		
	Bowie-Dick single use test pack	24
	Bowie-Dick Helix test	25
	BMS 1200 Batch Monitoring System	26
	Type 6 indicator strips	27
	Type 5 indicator strips	28
	Type 4 indicator strips	29
	Type 1 indicator strips	30

See-through packaging



	Made of paper and film	32
	Made of non-woven and film	36
	Made of DuPont™ Tyvek® and film	38

Wrapping material



	Double wrap SMS/SMS	40
	Double wrap SMS/non-woven	41
	Interleaved SMS/SMS	42
	Interleaved SMS/non-woven	43
	Interleaved non-woven/non-woven	44
	Polypropylene (SMS)	45
	Non-woven	46
	Crepe	47





CSSD accessories



Adhesive tapes	49	
Tape dispenser	51	
Tray and basket accessories		
Tray liners	52	
Corner reinforcement	53	
Silicone plugs	54	
Tray labels	55	NEW
Container accessories		
Absorbent inner layers	56	
Container labels	57	
Identification plates made of aluminium	58	NEW
Plastic seals	59	NEW
Paper seals	62	
Container filters	63	
Protective packaging		
Dust cover bags for sterile barrier systems	64	
Safety bags for disinfected medical devices	65	
Safety bags for explants	66	
Protective packaging for ultrasound probes	67	
Cable ties made of silicone	68	NEW
Instrument protection		
Made of paper and film	70	
Highline instrument protection caps	71	NEW
Seal seam tests		
Seal seam integrity tests	73	
Seal tests	74	
Hygiene accessories		
Hygiene wipes	75	
Waste bags with adhesive strip	76	
Disposable carton	77	

Labelling / documentation



Documentation labels		
Labels for thermal transfer printers	79	NEW
Hand labelling device with accessories	90	
Labels for manual labelling / marking	91	
Patient-related batch documentation system	92	NEW
Info labels with imprint	93	NEW
Identification tape	94	
Thermal transfer films	95	
Fibre-tip pens	96	

Sterile goods logistics



Transport box and accessories	98	NEW
Silicone mesh mats	100	NEW
Instrument basket mesh covers made of silicone	101	NEW
Instrument basket tags	102	NEW
Instrument baskets and accessories	106	NEW

We deliver in more than 70 countries

No distance is too far for stericlein®. Worldwide contacts, on site for you in many countries, and our competent sales office ensure optimal, comprehensive advice and a smooth ordering process. The heart of our activities is the production and logistics site in Germany. From this central location, we supply your needs fast and reliable.



Your advantages as a stericlin® customer / Made in Germany

Responsibility results in commitment – for more than 45 years

Why stericlin®?


For more than 40 years we produce, under the brand name stericlin®, indicator systems, sterile barrier systems and sterilisation accessories. Our customers include hospitals, doctor's offices and service providers in Germany and more than 70 other countries.

Quality and safety

Our sterile barrier packaging materials are manufactured in modern production plants under clean room conditions and on the basis of carefully validated production processes. These include around the clock in-process controls and complete IT-based traceability of all materials used. As a stericlin® customer, you can always rely on the quality of our products.

Requirements to meet the standard


The requirements of national and international standards and laws for medical devices form the basis for the development and manufacturing of our products. To ensure a constant and repeatable quality, we have implemented a quality management system according to ISO 9001 and ISO 13485. Production is carried out solely under defined clean room conditions. Our relevant international standards are the DIN EN ISO 11140-4 and 11140-3 for Bowie-Dick test systems, the DIN EN 867-5 for batch monitoring systems and DIN EN ISO 11607 and DIN EN 868 for sterile barrier systems. In addition, we let our products be checked externally for the compliance with the strict standard requirements. For example, our Bowie-Dick single use test pack has obtained the Kitemark of the British Standards Institution (BSI), a prestigious and internationally recognised test institute.



Cleaning and reprocessing



Packing instruments and individual parts



Wrapping instrument baskets and sets



Labeling, marking and documentation



Transportation and storage



Monitor and validate processes

steriCLIN®



OR accessories



Supplies for surgical use and patient care in the operating room

- Polypropylene button cannula
- Plastic bowls
- Vascular loops
- Suture booties
- Silicone paws



Polypropylene button cannula

Intended for surgically invasive irrigation, application and aspiration as well as for non-invasive use

NEW

The plastic cannulas are made of high-quality medical polypropylene and offer the advantage over comparable cannulas on the market that they are approved as a class IIa product for surgically invasive use.


This means that the cannulas can also be used for applications beyond pure topical wound irrigation. Already sterile packed, the cannulas are a hygienic and cost-effective alternative to conventional stainless steel multi-use or disposable cannulas.

The bendability of the cannulas up to 45° makes the purchase of different curved cannulas unnecessary.

In order to meet all quality requirements, no plasticisers (DEHP) or latex are used in production.

We offer the cannulas both sterile packed and non-sterile.

Article No.	Packaging	Total length (mm)	Working length (mm)	Diameter (mm)	Pack (pcs.)
3FINS166102	sterile	50	28	0,9	24
3FINS166104	sterile	50	28	0,9	48
3FINS166106	sterile	50	28	0,9	200
3FINS166108	sterile	70	48	0,9	24
3FINS166110	sterile	70	48	0,9	48
3FINS166112	sterile	70	48	0,9	150
3FINS166114	sterile	103	81	1,0	24
3FINS166116	sterile	103	81	1,0	48
3FINS166118	sterile	103	81	1,0	150
3FINS166202	non-sterile	50	28	0,9	200
3FINS166204	non-sterile	70	48	0,9	150
3FINS166206	non-sterile	103	81	1,0	150



Disposable plastic bowls

Non-sterile and sterile packed - ready for use for hygienic and efficient work in various functional areas

NEW



The reprocessing of reusable bowls is time-, resource- and cost-intensive. By using disposable bowls, internal processes in the CSSD can be streamlined and capacities thus gained can be sensibly used elsewhere.

A comprehensive range of sizes and colours offers a variety of uses in different departments.

All bowls are equipped with an internal measuring scale.

Article No.	Design	Fill quantity (ml)	Colour	Pack (pcs.)
3FSOP187202	Bowl, non-sterile	250	clear	500
3FSOP187204	Bowl, non-sterile	250	blue	500
3FSOP187206	Bowl, non-sterile	250	red	500
3FSOP187208	Bowl, non-sterile	250	green	500
3FSOP187210	Bowl, non-sterile	250	yellow	500
3FSOP187212	Bowl, non-sterile	500	clear	300
3FSOP187214	Bowl, non-sterile	500	blue	300
3FSOP187218	Bowl, non-sterile	500	green	300
3FSOP187224	Bowl, non-sterile	1000	blue	270
3FSOP187102	Bowl, sterile	250	clear	50
3FSOP187104	Bowl, sterile	250	blue	50
3FSOP187106	Bowl, sterile	250	red	50
3FSOP187108	Bowl, sterile	250	green	50
3FSOP187110	Bowl, sterile	250	yellow	50
3FSOP187112	Bowl, sterile	500	clear	40
3FSOP187114	Bowl, sterile	500	blue	40
3FSOP187118	Bowl, sterile	500	green	40
3FSOP187124	Bowl, sterile	1000	blue	30
3FSOP187250	Lid, non-sterile	Suitable for 250 ml bowls	clear	500
3FSOP187150	Lid incl. sterile bowl	250	clear	50
3FSOP187152	Lid incl. sterile bowl	250	blue	50
3FSOP187154	Lid incl. sterile bowl	250	red	50
3FSOP187156	Lid incl. sterile bowl	250	green	50
3FSOP187158	Lid incl. sterile bowl	250	yellow	50
3FSOP187160	Set. incl. 3 bowls, sterile	1x 250 2x 500	blue blue	40

Reusable plastic bowls

As an economical alternative to stainless steel bowls

Reusable plastic bowls offer a variety of uses due to the available colours and sizes. For example, consumables (e.g. swabs, compresses, instruments, suture material, etc.) can be easily separated from each other with the help of different colours and quickly checked for completeness postoperatively. In addition, the bowls are an enormous relief for the budget due to the low purchasing costs.

Multiple reprocessing by the most common cleaning, disinfection and steam sterilisation procedures is possible.

All bowls are equipped with an internal measuring scale.



Article No.	Design	Fill quantity (ml)	Colour	Pack (pcs.)
3FSOP187304	Bowl, non-sterile	150	blue	10
3FSOP187308	Bowl, non-sterile	150	green	10
3FSOP187310	Bowl, non-sterile	150	yellow	10
3FSOP187314	Bowl, non-sterile	500	blue	10
3FSOP187318	Bowl, non-sterile	500	green	10
3FSOP187320	Bowl, non-sterile	500	yellow	10
3FSOP187324	Bowl, non-sterile	1000	blue	10
3FSOP187334	Bowl, non-sterile	2500	blue	10

Vascular loops

Used for intraoperative organisation and identification of arteries, veins, nerves or tendons

NEW



Art. 3FSOP186114 + xxx110 + xxx102



Art. 3FSOP186116 + 3FSOP186108



Art. 3FSOP186112 + xxx104 + xxx102



Art. 3FSOP186118 + xxx110



Art. 3FSOP186114 + xxx106

The four colours and different variants can be used to identify vessels and anatomical structures.

Vascular loops are radiopaque, latex-free, sterile packed and declared for single use.

Article No.	Description	Size (mm)	Length (cm)	Colour	Pack (pcs.)
3FSOP186102	maxi-super	4,7 × 1,3	45	blue	20 (10 × 2)
3FSOP186104	maxi	2,4 × 1,15	45	blue	20 (10 × 2)
3FSOP186106	maxi	2,4 × 1,15	45	red	20 (10 × 2)
3FSOP186108	maxi	2,4 × 1,15	45	white	20 (10 × 2)
3FSOP186110	maxi	2,4 × 1,15	45	yellow	20 (10 × 2)
3FSOP186112	mini	1,3 × 0,9	45	blue	20 (10 × 2)
3FSOP186114	mini	1,3 × 0,9	45	red	20 (10 × 2)
3FSOP186116	mini	1,3 × 0,9	45	white	20 (10 × 2)
3FSOP186118	mini	1,3 × 0,9	45	yellow	20 (10 × 2)

Suture booties

Protect thin and delicate suture material from damage by sharp-edged needle holders



The non-slip surface allows suture material to be held securely and can also be marked using the different colours.

Quick and safe attachment to the instrument is made possible by the paired arrangement. The dispensers are equipped with a self-adhesive back.

A check for completeness can be carried out quickly postoperatively due to the clear design of the dispensers.

The instrument pads are radiopaque, latex-free, sterile packaged and declared for single use.

Article No.	Size	Colour	Pack (pair)
3FINS167102	normal	yellow	25 (5 pairs/pad)
3FINS167104	normal	red	25 (5 pairs/pad)
3FINS167106	large	pink	25 (5 pairs/pad)



Silicone paws

For atraumatic clamping of vessels and tissue

NEW



Art. 3FINS167152 - xxx156



Art. 3FINS167156

The profile provides a secure hold and at the same time ensures gentle application of conventional clamps. The two available diameters ensure a precise fit on various instrument sizes and can be cut to size.

The silicone paws are radiopaque, latex-free, sterile packaged and declared for single use.

Article No.	Size	Colour	Length (mm)	Pack (pcs.)
3FINS167152	mini	red	125	40 (20 × 2)
3FINS167154	midi	white	125	40 (20 × 2)
3FINS167156	maxi	blue	125	20 (10 × 2)



Cleaning accessories



Cleaning brushes and various accessories for efficient support of manual and machine cleaning

- Surface cleaning brushes
- Brushes for hollow instruments
- Cleaning brushes for endoscopes
- Various accessories

Stericlin® surface cleaning brushes

For manual (pre-) cleaning

NEW



Art. 3FRIN550116 - xxx158



Art. 3FRIN550172 - xxx176



Art. 3FRIN550134



Art. 3FRIN550160 + xxx162



Art. 3FRIN550136 - xxx168

The manual (pre-)cleaning of medical devices is regulated in legislation, standards and guidelines. The KRINKO (Commission for Hospital Hygiene and Infection Prevention/BfArM (Federal Institute for Drugs and Medical Devices)) recommendation states that, among other things, material-compatible equipment that is suitable for the medical device should be used in the pre-cleaning process. Stericlin® offers a wide range of suitable cleaning brushes for various applications and instrument types.

Article No.	Description	Brush head length (mm)	Length (mm)	Repro-cess-able	Pack (pcs.)
3FRIN550116	double-sided/ soft plastic-bristles, plastic handle	25 / 35	175	yes	5
3FRIN550120	double-sided/ medium-hard plastic bristles, plastic handle	25 / 35	175	yes	5
3FRIN550158	double-sided/ extra-hard plastic bristles, plastic handle	30 / 40	175	yes	5
3FRIN550172	hard plastic bristles, plastic handle (green)	80 x 18 x 15	220	no	10
3FRIN550174	soft plastic bristles, plastic handle (yellow)	80 x 18 x 15	220	no	10
3FRIN550176	extra-hard plastic bristles, plastic handle (blue)	80 x 18 x 10	220	no	10
3FRIN550134	extra-hard plastic bristles, plastic handle (blue)	30 / 45	165	yes	5
3FRIN550160	extra-hard plastic bristles, plastic handle (blue)	75	215	yes	5
3FRIN550162	soft plastic bristles, plastic handle (blue)	75	215	yes	5
3FRIN550164	extra-hard plastic bristles, plastic handle (blue)	75	235	yes	5
3FRIN550136	stainless steel bristles, plastic handle *	40	178	no	5
3FRIN550166	brass bristles, plastic handle *	40	178	no	5
3FRIN550168	plastic bristles/ plastic handle *	40	178	no	5

* For cleaning of work surfaces only. Not intended for reprocessing of instruments. Therefore not a medical device.



Stericlin® Brushes for hollow instruments

For manual (pre-) cleaning

NEW

The manual (pre-)cleaning of medical devices is regulated in legislation, standards and guidelines. The KRINKO/BfArM recommendation states that, among other things, suitable, material-compatible agents that are suitable for the medical device should be used in the pre-cleaning process. stericlin® offers a wide range of suitable cleaning brushes for various applications and instrument types.

All stericlin® cleaning brushes for hollow instruments have high quality nylon bristles.



Article No.	Brush head Ø × L (mm)	Total length (mm)	Reproces- sable	Properties	Pack (pcs.)
3FRIN550154	0,6 × 10	450	not recom- mended	stainless steel wire	5
3FRIN550118	1,0 × 13	450	yes	stainless steel wire	5
3FRIN550156	1,4 × 13	450	yes	stainless steel wire	5
3FRIN550122	1,6 × 13	450	yes	stainless steel wire	5
3FRIN550132	1,8 × 13	450	yes	stainless steel wire	5
3FRIN550146	2,0 × 100	300	yes	stainless steel wire	5
3FRIN550150	2,0 × 60	350	yes	stainless steel wire	5
3FRIN550126	2,5 × 50	300	yes	stainless steel wire	5
3FRIN550128	2,5 × 50	610	yes	stainless steel wire	5
3FRIN550148	3,0 × 100	300	yes	stainless steel wire	5
3FRIN550142	3,5 × 100	250	yes	stainless steel wire	5
3FRIN550144	3,5 × 60	265	no	stainless steel wire, plastic handle (white)	5
3FRIN550152	3,5 × 35	500	yes	stainless steel wire	5
3FRIN550104	4,0 × 100	300	yes	stainless steel wire, protective cap	5
3FRIN550124	5,0 × 100	300	yes	stainless steel wire, protective cap	5
3FRIN550130	5,0 × 80	405	yes	stainless steel wire, protective cap	5
3FRIN550190	5,0 × 100	650	yes	stainless steel wire, protective cap	5
3FRIN550106	6,0 × 100	300	yes	stainless steel wire, protective cap	5
3FRIN550102	7,0 × 80	350	yes	stainless steel wire, protective cap	5
3FRIN550192	7,0 × 100	650	yes	stainless steel wire, protective cap	5
3FRIN550108	8,0 × 100	300	yes	stainless steel wire, protective cap	5
3FRIN550110	10,0 × 100	300	yes	stainless steel wire, protective cap	5
3FRIN550194	10,0 × 100	650	yes	stainless steel wire, protective cap	5

NEW



Art. 3FRIN550178 - xxx188



Art. 3FRIN550188

Stericlin® brushes for hollow instruments

Article No.	Brush head Ø × L (mm)	Total length (mm)	Reproces- sable	Properties	Pack (pcs.)
3FRIN550196	12,0 × 100	650	yes	stainless steel wire, protective cap	
3FRIN550112	15,0 × 100	300	yes	stainless steel wire, protective cap	5
3FRIN550138	20,0 × 150	450	yes	stainless steel wire, protective cap	5
3FRIN550140	20,0 × 100	500	yes	stainless steel wire, protective cap	5
3FRIN550141	40,0 × 60	500	yes	stainless steel wire, protective cap	5
3FRIN550178	3,0 × 20	600	no	plastic shaft (white)	5
3FRIN550180	4,0 × 20	600	no	plastic shaft (blue)	5
3FRIN550182	5,0 × 50	600	no	plastic shaft (yellow)	5
3FRIN550184	7,0 × 50	600	no	plastic shaft (white)	5
3FRIN550186	10,0 × 50	600	no	plastic shaft (blue)	5
3FRIN550188	15,0 × 50	600	no	plastic shaft (green)	5



Cleaning brushes for endoscopes

For manual pre-cleaning

NEW

The manual (pre-)cleaning of flexible endoscopes and endoscopic accessories is required as standard in various guidelines and is an essential part of successful reprocessing. To avoid possible cross-contamination, it is not recommended to reuse endoscope cleaning brushes in the relevant literature. This is why our cleaning brushes for flexible endoscopes are only suitable for single use.

We offer a wide range of brushes with which the most common working channels and biopsy ports of various endoscope types can be pre-cleaned prior to mechanical reprocessing. Damage during the cleaning of lumens is avoided with the stericlin® cavity brushes due to the use of medium-hard nylon bristles. Depending on the diameter, our brush heads have protective features such as rounded ends or plastic ball heads.


Article No.	Brush head Ø (mm)	Total length (mm)	Features	Pack (pcs.)
3FRIN550202	2,0	1000	Colour: yellow	50
3FRIN550204	3,0	1000	Colour: white	50
3FRIN550224	2,5	2300	Colour: red	50
3FRIN550212	3,0	2300	Colour: blue	50
3FRIN550208	5,0	2300	Colour: red	50
3FRIN550210	6,0	2300	Colour: green	50
3FRIN550214	3,0-5,0 / 4,0-6,0	2300	Colour: yellow	50
3FRIN550220	5,5/10	2300	Colour: turquoise	50
3FRIN550216	5,0	2650	With 280 mm pipe cleaner	50
3FRIN550218	5,2/11	156	Valve cleaning brush, colour: red	100
3FRIN550206	6,5 / 5,2/11	2570 / 156	Set contents: Cleaning brush, colour: blue; Valve cleaning brush, colour: red	50
3FRIN550222	5,0 / 5,2/11	2300 / 156	Set contents: Cleaning brush, colour: red; Valve cleaning brush, colour: red	50
3FRIN550226	3,0	2500	2 ends + 1 centred, including plastic tip, colour: red	50
3FRIN550228	6,0	2500	2 ends + 1 centred, including plastic tip, colour: blue	50



Stericlin® cleaning accessories

For the efficient facilitation of mechanical cleaning

NEW



Stericlin® holder in use



Art. 3FEDS844102 - 3FEDS844110



Stericlin® Hydro Soak Set - Art. 3FRIN556105



Cleaning pads - Art. 3FRIN556120



Cleaning pads - Art. 3FRIN556125

The Stericlin® cleaning accessories range serves to facilitate various CSSD cleaning processes:

Because they minimise unwashed areas, Stericlin holders are an indispensable aid to successful decontamination. Without our aids, the cleaning and disinfection of forceps, non-demountable instruments with ring handles, specula and other non-autostop instruments is a particular challenge in critical areas such as joints or mouth parts.

Stericlin® Hydro Soak Sets assist with the transport, storage and hydration of distal ends of laparoscopic instruments and EndoWrist® arms.

Due to their material properties, our cleaning pads are versatile and ideally suited for grinding, polishing rust films and oxidised surfaces such as work tables, transport trolleys or steriliser chambers. Suitable for steel, stainless steel and aluminium.

Article No.	Description	Size (mm)	Pack (pcs.)
3FEDS844100	Holder for non-autostop bone rongeurs and specula, rust-free stainless steel with silicone padding, colour: white	40	1
3FEDS844108	Holder for non-autostop bone rongeurs and specula, rust-free stainless steel with silicone padding, colour: yellow	50	1
3FEDS844106	Holder for non-autostop bone rongeurs and specula, rust-free stainless steel with silicone padding, colour: blue	60	1
3FEDS844102	Holder for non-autostop bone rongeurs and specula, rust-free stainless steel with silicone padding, colour: red	70	1
3FEDS844110	Holder for non-autostop bone rongeurs and specula, rust-free stainless steel with silicone padding colour: green	80	1
3FEDS844104	Holder for instruments with ring handle		1
3FRIN556105	Stericlin® Hydro Soak Set, for transport, storage and hydration of distal ends of laparoscopic instruments and EndoWrist® arms, for single use		20
3FRIN556107	Stericlin® Hydro Soak Set, for transport, storage and hydration of bipolar forceps, for single use		20
3FRIN556120	Cleaning pads - coarse, for removing stains and rust, colour: brown	150 x 100	3
3FRIN556125	Cleaning pads - fine, for removing stains and rust, colour: grey	150 x 100	3



Indicator systems



Chemical indicators for monitoring the sterilisation process and to supplement the parametric process documentation

- Bowie-Dick test systems
- BMS 1200 batch monitoring system
- Indicator strips Type 6 – Type 1

Bowie-Dick single use test pack from stericlin®

Easy handling of the steam penetration tests – DIN EN ISO 11140-4




Bowie-Dick single use test pack

Our stericlin® Bowie-Dick single use test pack allows the daily function control and quality assurance of your steam steriliser. The ease of use convinces:

- Place test pack in the steriliser
- Run the Bowie-Dick program
- Remove the test sheet
- Check result

At full steam penetration, the indicator changes colour from blue to a uniform pink. If a malfunction occurs, however, there will be no uniformity in colour.

Stericlin® indicators contain no heavy metals or toxins. After the initial colour change, the colour of the indicator no longer changes. This gives you completely secure documentation.



Original test sheet

Kitemark of the British Standards Institution (BSI)

The renowned, internationally recognised test institute confirms compliance of our Bowie-Dick single use test pack with the strict standard requirements of DIN EN ISO 11140-4.



Test sheet pass



Test sheet fail

Article No.	Description	Pack (pcs.)
3FSKS611102	Bowie-Dick- single use test pack	40



Stericlin® Bowie-Dick-Helix Test

Process challenge device made of aluminium - DIN EN ISO 11140-4

Our stericlin® Bowie-Dick Helix Test corresponds to the standard DIN EN ISO 11140-4 and checks your steriliser objectively on air extraction and steam penetration. The process challenge device (PCD) made of aluminium with integrated plastic helix can be used for 250 sterilisation cycles.

The handling convinces with simplicity and speed:

- Place indicator strip in the capsule
- Screw the capsule on the PCD
- Run the Bowie-Dick program
- Remove the test strip
- Check result

At full steam penetration, the indicator changes colour from blue to pink. An incomplete colour change indicates a malfunction with the steriliser.

Stericlin® indicators contain no heavy metals or toxic substances. After the initial colour change, the colour of the indicator no longer changes. This gives you completely secure documentation.



Bowie-Dick Helix Test



Test strip pass



Test strip fail

Article No.	Description	Pack (pcs.)
3FSKS613102	Bowie-Dick Helix Test	250

Stericlin® BMS 1200 Batch Monitoring System

Batch monitoring system according to requirements of DIN EN 867-5



BMS 1200 Batch Monitoring System

Our Stericlin® Batch Monitoring System meets the requirements of DIN EN 867-5 and is specially designed for batch control of the sterilisation load. The process challenge device (PCD) made of aluminium simulates hard to sterilise hollow instruments. The so-called "helix" is located inside and at the end the chemical indicator is placed in a screw cap made of plastic. The PCD may be reused indefinitely.

The handling of the Stericlin® Batch Monitoring System is easy as well as time and space efficient:

- Place indicator strip in the capsule
- Screw the capsule on the PCD
- Run sterilisation programme
- Remove the test strip
- Check result

With full steam penetration, the indicator changes colour from blue to pink, incomplete colour change indicates a malfunction of the steriliser.

Stericlin® indicators contain no heavy metals or toxic substances. After the initial colour change, the colour of the indicator no longer changes. This gives you absolute security documentation.

The use of batch control systems to monitor steam penetration is recommended by the Commission for Hospital Hygiene and Infection Prevention at the Robert Koch Institute (RKI), the Federal Institute for Drugs and Medical Devices (BfArM), the German Society for Hospital Hygiene and health authorities.



Test strip pass



Test strip fail

Article No.	Description	Pack (pcs.)
3FSKS630106	Starter Kit 1 PCD, 2 capsules, 250 indicator strips	1
3FSKS630107	Starter Kit 1 PCD, 2 capsules, 50 indicator strips	1
3FSKS630102	Indicator strips (incl. 1 capsule) Size: 76,5 × 5,5 mm	250
3FSKS630103	Indicator strips (incl. 1 capsule) Size: 76,5 × 5,5 mm	50



Indicator strips Type 6 (STEAM) of stericlin®

Emulating indicators according to DIN EN ISO 11140-1

Our stericlin® indicator strips Type 6 check your sterilisation processes for sufficient steam exposure (steam, temperature and time) in the interior of trays or other selected locations. Only upon compliance with all parameters a correct colour change does appear. Uncompromising error contrast disclosed. It can be checked independently with different sterile barrier systems within a batch.

The indicator strips are easy to use:

- Place at the desired locations in the loading area
(in see-through packaging, wrapping materials, containers, etc.)
- Perform sterilisation program
- Remove indicator strip
- Check result

With sufficient steam exposure, the indicator changes colour from blue to pink, incomplete colour change indicates a malfunction of the steriliser. The stericlin® indicator strips meet the requirements of DIN EN ISO 11140-1 for the designated Type 6 (Emulators). For both performance requirements, we ensure a high precision resistometer for testing purposes. Therefore, we guarantee standard compliance and absolute consistency of this product.

Stericlin® indicators contain no heavy metals or toxic substances. After the initial colour change, the colour of the indicator no longer changes. This gives you absolute security documentation.



Article No.	Description	Size	Pack (pcs.)
3FSKS645102	134 °C – 3,5 min.	80 × 30 mm	500
3FSKS645104	132 °C – 4 min.	80 × 30 mm	500
3FSKS645105	134°C - 4 min.	80 × 30 mm	500
3FSKS645106	134 °C – 5,3 min.	80 × 30 mm	500
3FSKS645108	134 °C – 7 min.	80 × 30 mm	500
3FSKS645112	134 °C – 18 min.	80 × 30 mm	500

Indicator strips Type 5 (STEAM) of stericlin®

Integrated indicators according to DIN EN ISO 11140-1



Our stericlin® indicator strips Type 5 check your sterilisation processes for sufficient steam exposure (steam, temperature and time) in the interior of trays or other selected locations. The specifications for this arise from the behaviour of biological indicators. It can be checked independently with different sterile barrier systems within a batch. The indicator Type 5 is particularly advantageous if you sterilise your reprocessed medical products at both 121 °C and 134 °C.

The indicator strips are easy to use:

- Place at the desired locations in the loading area (in see-through packaging, wrapping materials, containers, etc.)
- Perform sterilisation program
- Remove indicator strip
- Check result

With sufficient steam exposure, the indicator changes colour from blue to pink, incomplete colour change means a malfunction of the steriliser.

The stericlin® indicator strips meet the requirements of DIN EN ISO 11140-1 for the designated Type 5 (Integrators). For both performance requirements, we ensure a high precision resistometer for testing purposes. Therefore, we guarantee standard compliance and absolute consistency of this product.

Stericlin® indicators contain no heavy metals or toxic substances. After the initial colour change, the colour of the indicator no longer changes. This gives you absolute security documentation.

Article No.	Description	Size	Pack (pcs.)
3FSKS646102	134 °C/121 °C	80 × 30 mm	500



Indicator strips Type 4 (STEAM) of stericlin®

Multi-parameter indicators according to DIN EN ISO 11140-1

Our stericlin® indicator strips Type 4 check your sterilisation processes for the exposure of steam, temperature and time in the interior of trays or other selected locations. Only upon compliance with all parameters a correct colour change does appear. Uncompromising error contrast disclosed. It can be checked independently with different sterile barrier systems within a batch.

The indicator strips are easy to use:

- Place at the desired locations in the loading area
(in see-through packaging, wrapping materials, containers, etc.)
- Perform sterilisation program
- Remove indicator strip
- Check result

With sufficient steam exposure, the indicator changes colour from blue to pink, incomplete colour change indicates a malfunction of the steriliser.

The stericlin® indicator strips meet the requirements of DIN EN ISO 11140-1 for the designated Type 4 (Multi-parameter indicators). For both performance requirements, we ensure a high precision resistometer for testing purposes. Therefore, we guarantee standard compliance and absolute consistency of this product.

Stericlin® indicators contain no heavy metals or toxic substances. After the initial colour change, the colour of the indicator no longer changes. This gives you absolute security documentation.



Article No.	Description	Size	Pack (pcs.)
3FSKS647102	134 °C - 3,5 min.	80 × 30 mm	500
3FSKS647106	134 °C - 5,3 min./ 121 °C - 15 min.	80 × 30 mm	500

Indicator strips Type 1 from stericlin®

Process indicators according to DIN EN ISO 11140-1



3FSKS650102



3FSKS650104



3FSKS650106

Stericlin® indicator strips Type 1 enable easy sterilisation monitoring and documentation. The indicator strips are available for STEAM and FORM-sterilisation. As process indicators, they serve as a distinction between sterilised and non-sterilised products.

Labelling fields for batch, steriliser, content, expiration date, OK/fail and a signature field are printed on the stericlin® indicator strips Type 1.

The stericlin® indicator strips meet the requirements of DIN EN ISO 11140-1 for the designated Type 1 (Process indicators).

Article No.	Description	Size	Pack (pcs.)
3FSKS650102	STEAM, self-adhesive	150 × 30 mm	250
3FSKS650104	STEAM	150 × 30 mm	250
3FSKS650106	FORM	150 × 30 mm	250



steriCLIN®



See-through packaging



The right material combination for each application

- See-through packaging made of paper and film
- See-through packaging made of non-woven and film
- See-through packaging made of DuPont™ Tyvek® and film

Stericlin® see-through pouches flat made of paper and film

Safe sterilisation – different sizes – DIN EN ISO 11607



Stericlin® see-through pouches meet the requirements of DIN EN ISO 11607 and DIN 868-5 and are the universal packaging system for sterilisation. So that you can pack almost all light and medium-heavy instruments. The sterilisation-resistant 70 g/m² heavy-duty paper creates an effective barrier against germs, but is also permeable to air, steam and sterilisation gases. Three indicators are printed outside the filling area: STEAM, EO and FORM.

Convincing quality


Our stericlin® see-through packaging made of 70 g/m² paper stands out against market regular 60 g/m² paper packaging in terms of quality, strength and safety margins.

Article No.	Size in cm (width × length)	Pack (pcs.)
3FKFB210102	5,5 × 20	2000
3FKFB210104	5,5 × 25	2000
3FKFB210106	7,5 × 15	2000
3FKFB210108	7,5 × 20	2000
3FKFB210110	7,5 × 25	2000
3FKFB210112	7,5 × 30	2000
3FKFB210114	10 × 15	2000
3FKFB210116	10 × 20	2000
3FKFB210118	10 × 25	2000
3FKFB210120	10 × 30	2000
3FKFB210122	10 × 36	1000
3FKFB210124	10 × 40	1000
3FKFB210126	10 × 52	1000
3FKFB210128	12,5 × 25	2000
3FKFB210130	12,5 × 30	2000
3FKFB210131	12,5 × 35	1000
3FKFB210132	12,5 × 40	1000
3FKFB210134	12,5 × 52	1000
3FKFB210136	15 × 20	1000
3FKFB210138	15 × 27	1000
3FKFB210140	15 × 30	1000
3FKFB210142	15 × 38	1000
3FKFB210143	15 × 50	1000
3FKFB210144	15 × 61	1000
3FKFB210146	16 × 22	1000



Stericlin® see-through pouches flat made of paper and film

Article No.	Size in cm (width × length)	Pack (pcs.)
3FKFB210148	20 × 27	1000
3FKFB210150	20 × 40	1000
3FKFB210152	20 × 61	1000
3FKFB210154	21 × 33	1000
3FKFB210156	22 × 30	1000
3FKFB210158	22 × 35	1000
3FKFB210160	22 × 42	1000
3FKFB210162	25 × 38	1000
3FKFB210164	25 × 40	1000
3FKFB210166	25 × 42	1000
3FKFB210168	25 × 48	500
3FKFB210170	27 × 45	500
3FKFB210172	30 × 42	500
3FKFB210174	30 × 57	500
3FKFB210176	32 × 50	500
3FKFB210178	36 × 58	500
3FKFB210180	38 × 50	500
3FKFB210182	42 × 50	500
3FKFB210184	42 × 61	500



Stericlin® see-through pouches gusseted made of paper and film

Safe sterilisation – different sizes – DIN EN ISO 11607



Stericlin® see-through pouches meet the requirements of DIN EN ISO 11607 and DIN 868-5 and are the universal packaging system for sterilisation. So that you can pack almost all light and medium-heavy instruments. The sterilisation-resistant 70 g/m² heavy-duty paper creates an effective barrier against germs, but is also permeable to air, steam and sterilisation gases. Three indicators are printed outside the filling area: STEAM, EO and FORM.

Convincing quality

Our Stericlin® see-through packaging made of 70 g/m² paper stands out against market regular 60 g/m² paper packaging in terms of quality, strength and safety margins.

Article No.	Size in cm (width × gusset × length)	Pack (pcs.)
3FKSB220102	10 × 5 × 30	2000
3FKSB220104	10 × 5 × 40	2000
3FKSB220106	15 × 5 × 28	1000
3FKSB220108	15 × 5 × 40	1000
3FKSB220110	20 × 5 × 40	1000
3FKSB220112	20 × 5 × 48	500
3FKSB220114	25 × 6,5 × 48	500
3FKSB220116	30 × 6,5 × 61	500
3FKSB220118	41 × 6,5 × 61	500



Stericlin® see-through reels flat made of paper and film

Safe sterilisation – different sizes – DIN EN ISO 11607

Stericlin® see-through reels meet the requirements of DIN EN ISO 11607 and DIN 868-5 and are the universal packaging system for sterilisation. So that you can pack almost all light and medium-heavy instruments. The sterilisation-resistant 70 g/m² heavy-duty paper creates an effective barrier against germs, but is also permeable to air, steam and sterilisation gases. Three indicators are printed outside the filling area: STEAM, EO and FORM.

Convincing quality

Our stericlin® see-through packaging made of 70 g/m² paper stands out against market regular 60 g/m² paper packaging in terms of quality, strength and safety margins.



Article No.	Width in cm	Length	Pack (reels)
3FKFS230102	5	200 m	6
3FKFS230104	7,5	200 m	4
3FKFS230106	10	200 m	3
3FKFS230108	12,5	200 m	2
3FKFS230110	15	200 m	2
3FKFS230112	20	200 m	2
3FKFS230114	25	200 m	2
3FKFS230116	30	200 m	1
3FKFS230117	35	200 m	1
3FKFS230118	38	200 m	1
3FKFS230119	40	200 m	1
3FKFS230120	42	200 m	1

Stericlin® see-through reels gusseted made of paper and film

Safe sterilisation – different sizes – DIN EN ISO 11607



Stericlin® see-through reels meet the requirements of DIN EN ISO 11607 and DIN 868-5 and are the universal packaging system for sterilisation. So that you can pack almost all light and medium-heavy instruments. The sterilisation-resistant 70 g/m² heavy-duty paper creates an effective barrier against germs, but is also permeable to air, steam and sterilisation gases. Three indicators are printed outside the filling area: STEAM, EO and FORM.

Convincing quality

Our Stericlin® see-through packaging made of 70 g/m² paper stands out against market regular 60 g/m² paper packaging in terms of quality, strength and safety margins.

Article No.	Size in cm (width × gusset)	Length	Pack (reels)
3FKSS230204	7,5 × 2,5	100 m	4
3FKSS230206	10 × 5	100 m	3
3FKSS230210	15 × 5	100 m	2
3FKSS230212	20 × 5	100 m	2
3FKSS230214	25 × 6,5	100 m	2
3FKSS230216	30 × 6,5	100 m	1
3FKSS230218	38 × 8,0	100 m	1
3FKSS230220	42 × 8,0	100 m	1




Stericlin® see-through packaging made of non-woven and film

Ideal for large-volume goods – high steam permeability – DIN EN ISO 11607

This Stericlin® see-through packaging made of 56 g/m² non-woven with sealed-laminated film. Three indicators for STEAM, EO and FORM sterilisation are printed outside the filling area. Our system combines the sterilisation-technical advantages of flexible packaging (non-woven fabric) with the facilitation of see-through packaging. The high air and steam permeability allows the use of large and absorbent loads. Due to mechanical strength, heavy instruments can also be safely packaged. Stericlin® see-through packaging meets the requirements of DIN EN ISO 11607 and EN 868-5.

See-through pouches and see-through reels made of non-woven and film

Article No.	Type	Size (width × length)	Pack
3FKFB240105	Pouch	27 × 36 cm	500 pcs.
3FKFB240110	Pouch	32 × 45 cm	500 pcs.
3FKFB240115	Pouch	40 × 52 cm	250 pcs.
3FKFB240120	Pouch	50 × 60 cm	250 pcs.
3FKFB240125	Pouch	57 × 72 cm	250 pcs.
3FKFS240212	Reel	20 cm/100 m	2 reels
3FKFS240220	Reel	42 cm/100 m	1 reel



Stericlin® see-through packaging made of DuPont™ Tyvek® and film

Ideal for heat-sensitive instruments – fibre-free peeling – DIN EN ISO 11607



The quality of Stericlin® see-through packaging made of Tyvek® and composite film is decisively influenced by the selected material. Therefore, we use only the strongest medical Tyvek®: Type 1073 B with a base weight of 75 g/m². Our sterile defence system is distinguished by its excellent barrier against germs and moisture, extremely high resistance to penetration and fibre free peeling without delamination. Tyvek® and the composite film used are ideal for VH₂O₂ (plasma)-, EO-, FORM- and irradiation sterilisation. Two indicators for the VH₂O₂ (plasma)- and EO sterilisation are printed outside the filling area. The Stericlin® sterile barrier system is first choice in gas sterilisation, as Tyvek® and the composite film hardly absorb the toxic gases and enable residual gases to be far below specified limits. Stericlin® see-through packaging meets the requirements of DIN EN ISO 11607 and EN 868-9.

For additional variants (material combinations / sizes) feel free to contact our sales team at contact@stericlin.com.



See-through pouches and see-through reels made of DuPont™ Tyvek® and film



Article No.	Type	Size (width × length)	Pack
3FKFB250105	Pouch	7,5 × 20 cm	1000 pcs.
3FKFB250110	Pouch	10 × 27 cm	500 pcs.
3FKFB250115	Pouch	15 × 30 cm	500 pcs.
3FKFB250120	Pouch	20 × 40 cm	500 pcs.
3FKFB250125	Pouch	25 × 48 cm	500 pcs.
3FKFS250204	Reel	7,5 cm/100 m	2 reels
3FKFS250206	Reel	10 cm/100 m	2 reels
3FKFS250210	Reel	15 cm/100 m	1 reel
3FKFS250212	Reel	20 cm/100 m	1 reel
3FKFS250214	Reel	25 cm/100 m	1 reel
3FKFS250216	Reel	30 cm/100 m	1 reel
3FKFS250218	Reel	38 cm/100 m	1 reel
3FKFS250222	Reel	50 cm/100 m	1 reel

Wrapping material



Even you will be satisfied by the efficiency of flexible packaging

The advantages of stericlin® wrapping material speak for themselves in terms of economy and low storage space requirements. Wrapping material facilitates air extraction, steam penetration and drying after steam sterilisation and also serves as a sterilisation barrier system in other sterilisation processes. We offer different versions for your flexible packaging, in many sizes, colours and combinations - meeting all your requirements and sterilisation procedures. Stericlin® wrapping material meets the requirements of DIN EN ISO 11607 and EN 868-2.

- Double wrap SMS/SMS
- Double wrap SMS/non-woven
- Wrapping material interleaved SMS/SMS
- Wrapping material interleaved SMS/non-woven
- Wrapping material interleaved non-woven/non-woven
- Wrapping material polypropylene (SMS)
- Wrapping material non-woven
- Wrapping material crepe

Double wrap SMS/SMS from stericlin®

The innovative wrapping material – DIN EN ISO 11607



The innovative stericlin® double wrap meets the requirements of DIN EN ISO 11607 and DIN EN 868-2 and combines two different wrapping materials made of polypropylene. A blue sheet and a green sheet of non-woven polypropylene, made of synthetic fibres, are firmly welded together at two sides. Damage to the packaging can be identified more easily by the different colours of the inner and outer sheet.

Stericlin® wrapping material made of non-woven polypropylene (SMS) are extremely tear-resistant, robust and drapable non-woven, made of pure synthetic fibres, which are suitable for all types of wrapping material. The sterile barrier system double wrap SMS/SMS from stericlin® is usable for steam and low-temperature sterilisation. According to STERRAD®-Info of the manufacturer Johnson & Johnson from August 2018, this quality is also validated for the STERRAD®-systems Advanced Sterilisation Products (ASP).

Double wrap non-woven polypropylene SMS/SMS

Article No.	Material	Size in cm	Pack (pcs.)
3FDOP381206	SMMMS blue 43g/SMMMS green 43g	60 × 60	125
3FDOP381208	SMMMS blue 43g/SMMMS green 43g	75 × 75	75
3FDOP381212	SMMMS blue 43g/SMMMS green 43g	90 × 90	50
3FDOP381214	SMMMS blue 43g/SMMMS green 43g	100 × 100	50
3FDOP381218	SMMMS blue 43g/SMMMS green 43g	120 × 120	50
3FDOP381226	SMMMS blue 43g/SMMMS green 43g	140 × 140	25
3FDOP383206	SMMMS blue 50g/SMMMS green 50g	60 × 60	125
3FDOP383208	SMMMS blue 50g/SMMMS green 50g	75 × 75	50
3FDOP383212	SMMMS blue 50g/SMMMS green 50g	90 × 90	50
3FDOP383214	SMMMS blue 50g/SMMMS green 50g	100 × 100	50
3FDOP383218	SMMMS blue 50g/SMMMS green 50g	120 × 120	50
3FDOP383226	SMMMS blue 50g/SMMMS green 50g	140 × 140	25
3FDOP385206	SMMMS blue 60g/SMMMS green 60g	60 × 60	125
3FDOP385208	SMMMS blue 60g/SMMMS green 60g	75 × 75	50
3FDOP385212	SMMMS blue 60g/SMMMS green 60g	90 × 90	50
3FDOP385214	SMMMS blue 60g/SMMMS green 60g	100 × 100	50
3FDOP385218	SMMMS blue 60g/SMMMS green 60g	120 × 120	25
3FDOP385226	SMMMS blue 60g/SMMMS green 60g	140 × 140	25



Double wrap SMS/non-woven from stericlin®


The innovative wrapping material – DIN EN ISO 11607

The innovative stericlin® double wrap meets the requirements of DIN EN ISO 11607 and DIN EN 868-2 and combines two different materials together: a blue sheet of non-woven polypropylene (SMS) made of synthetic fibres and a green sheet of non-woven made of cellulose and synthetic fibres, which are firmly welded together at both sides. The respective advantages of the materials are used perfectly.

The extreme stability of the blue SMS material is combined with the properties of the blend fibres of the green non-woven, which supports the complete drying of the residual moisture after sterilisation. Furthermore, damage to the packaging is more easily identifiable by the different colours of the inner (green) and outer (blue) sheet.



SMMS 47g/Non-woven green 57g




SSMMS 55g/Non-woven green 67g

Double wrap non-woven polypropylene SMS/non-woven

Article No.	Material	Size in cm	Pack (pcs.)
3FDOP372208	SMMS 47g/Non-woven green 57g	75 x 75	120
3FDOP372212	SMMS 47g/Non-woven green 57g	90 x 90	100
3FDOP372214	SMMS 47g/Non-woven green 57g	100 x 100	100
3FDOP372218	SMMS 47g/Non-woven green 57g	120 x 120	72
3FDOP372226	SMMS 47g/Non-woven green 57g	140 x 140	52
3FDOP373208	SSMMS 55g/Non-woven green 67g	75 x 75	100
3FDOP373212	SSMMS 55g/Non-woven green 67g	90 x 90	100
3FDOP373214	SSMMS 55g/Non-woven green 67g	100 x 100	80
3FDOP373218	SSMMS 55g/Non-woven green 67g	120 x 120	60
3FDOP373226	SSMMS 55g/Non-woven green 67g	140 x 140	40

Wrapping material interleaved SMS/SMS from stericlin®

Non-woven polypropylene (SMS) in two colours - DIN EN ISO 11607



Stericlin® wrapping material made of non-woven polypropylene (SMS) are extremely tear-resistant, robust and drapable non-woven, made of pure synthetic fibres, which are suitable for all types of wrapping material.

They are usable for steam and low-temperature sterilisation. According to STERRAD®-Info of the manufacturer Johnson & Johnson from August 2018 the quality stericlin® wrapping material interleaved SMS/SMS is also validated for the STERRAD®-systems Advanced Sterilisation Products (ASP).

Our stericlin® wrapping material interleaved comes factory-made with blue and green sheets of non-woven polypropylene alternately stacked. Thereby assembling the sheets from two different boxes is not necessary. The preparation of the packing procedure for the double-packaging is significantly simplified. Damage to the packaging can be identified more easily through the different colours of the inner and outer packaging.

We recommend that you create a double-packaging by two successive packaging operations. Only that way you will get efficient double packaging, which enables a bacterial count reduction during unpacking, ensuring an aseptic presentation.

Wrapping material interleaved non-woven polypropylene SMS/SMS

Article No.	Material	Size in cm	Pack (pcs.)
3FITL381106	SMMMS blue 43g/ SMMMS green 43g	60 × 60	150
3FITL381108	SMMMS blue 43g/ SMMMS green 43g	75 × 75	150
3FITL381112	SMMMS blue 43g/ SMMMS green 43g	90 × 90	150
3FITL381114	SMMMS blue 43g/ SMMMS green 43g	100 × 100	150
3FITL381118	SMMMS blue 43g/ SMMMS green 43g	120 × 120	100
3FITL381126	SMMMS blue 43g/ SMMMS green 43g	140 × 140	100




Wrapping material interleaved SMS/non-woven from stericlin®

Two types of non-woven and a lot of advantages – DIN EN ISO 11607

Stericlin® wrapping material interleaved meets the requirements of DIN EN ISO 11607 and DIN EN 868-2 and combines two different materials together: a blue non-woven polypropylene (SMS) sheet made of synthetic fibres and a green non-woven sheet made of cellulose and synthetic fibres which are alternately placed in a stack. The respective advantages of the materials are used perfectly.

The extreme stability of the blue SMS material is combined with the properties of the blend fibres of the green non-woven, which supports the complete drying of the residual moisture after sterilisation. Furthermore, damage to the packaging is more easily identifiable by the different colours of the inner (green) and outer (blue) sheet.

We recommend that you create a double-packaging by two successive packaging operations. Only that way you will get efficient double packaging, which enables a bacterial count reduction during unpacking, ensuring an aseptic presentation.



Wrapping material interleaved non-woven polypropylene SMS/non-woven

Article No.	Material	Size in cm	Pack (pcs.)
3FITL370108	SSMMS 43g/Non-woven green 57g	75 x 75	200
3FITL370114	SSMMS 43g/Non-woven green 57g	100 x 100	200
3FITL370118	SSMMS 43g/Non-woven green 57g	120 x 120	120
3FITL370126	SSMMS 43g/Non-woven green 57g	140 x 140	120
3FITL375108	SMMS 60g/Non-woven green 67g	75 x 75	200
3FITL375114	SMMS 60g/Non-woven green 67g	100 x 100	160
3FITL375118	SMMS 60g/Non-woven green 67g	120 x 120	120
3FITL375126	SMMS 60g/Non-woven green 67g	140 x 140	80

Wrapping material interleaved non-woven/non-woven from stericlin®

Non-woven in two colours – DIN EN ISO 11607



The stericlin® non-woven 52g is a material which is characterised by a very good drapability and high mechanical stability. It meets the requirements of DIN EN ISO 11607 and DIN EN 868-2 and is suitable for packaging of medical supplies, such as instrument trays and textiles. The mixed fibres (cellulose and synthetic fibres) of the non-woven fabric support the complete drying of the residual moisture after sterilisation.

Packing with stericlin® interleaved wrapping material offers many advantages. Damage to the packaging is more easily distinguishable through the different colours of the inner and outer packaging. Because blue and green sheets are alternately stacked, the sheet assembly of two different boxes is omitted.

We recommend that you create a double-packaging by two successive packaging operations. Only that way you will get efficient double packaging, which enables a bacterial count reduction during unpacking, ensuring an aseptic presentation.

Article No.	Material	Size in cm	Pack (pcs.)
3FITL340108	Non-woven blue 52g/ Non-woven green 52g	75 × 75	200
3FITL340112	Non-woven blue 52g/ Non-woven green 52g	90 × 90	200
3FITL340114	Non-woven blue 52g/ Non-woven green 52g	100 × 100	200
3FITL340118	Non-woven blue 52g/ Non-woven green 52g	120 × 120	100
3FITL340120	Non-woven blue 52g/ Non-woven green 52g	120 × 140	100



Wrapping material polypropylene (SMS) from stericlin®

The suitable grammage for each application – DIN EN ISO 11607

Stericlin® wrapping material made of non-woven polypropylene (SMS) are extremely tear-resistant, robust and drapable non-woven, made of pure synthetic fibres, which are suitable for all types of wrapping material. The higher the grammage of the non-woven, the more resistant the flexible packaging produced from it. All stericlin® wrapping material made of non-woven polypropylene (SMS) meet the requirements of DIN EN ISO 11607 and DIN EN 868-2.



Our non-woven polypropylene consisting of several layers of spunbond fibres (S) and meltblown fibres (M). Spunbond layers provide exceptional flexibility and drapability, whereas meltblown layers provide excellent defence against bacteria.

For double packaging, you can combine SMS, non-woven and crepe packaging – regardless of colour and format. Please refer to the packing methods described in the DIN 58953, part 7.

We recommend that you create a double-packaging by two successive packaging operations. Only that way you will get efficient double packaging, which enables a bacterial count reduction during unpacking, ensuring an aseptic presentation.

Wrapping material non-woven polypropylene SMS

Article No.	Material	Size in cm	Pack (pcs.)
3FSMS355106	SMMS blue 37g	60 × 60	480
3FSMS355108	SMMS blue 37g	75 × 75	200
3FSMS355112	SMMS blue 37g	90 × 90	200
3FSMS355114	SMMS blue 37g	100 × 100	200
3FSMS355118	SMMS blue 37g	120 × 120	120
3FSMS355120	SMMS blue 37g	120 × 140	120
3FSMS355126	SMMS blue 37g	140 × 140	120
3FSMS355127	SMMS blue 37g	140 × 190	80
3FSMS360104	SSMMS blue/violet 43g	50 × 50	500
3FSMS360108	SSMMS blue/violet 43g	75 × 75	200
3FSMS360112	SSMMS blue/violet 43g	90 × 90	200
3FSMS360114	SSMMS blue/violet 43g	100 × 100	200
3FSMS360118	SSMMS blue/violet 43g	120 × 120	120
3FSMS360120	SSMMS blue/violet 43g	120 × 140	120
3FSMS360126	SSMMS blue/violet 43g	140 × 140	120
3FSMS360128	SSMMS blue/violet 43g	150 × 190	48
3FSMS365114	SMMS blue 60g	100 × 100	104
3FSMS365118	SMMS blue 60g	120 × 120	96
3FSMS365126	SMMS blue 60g	140 × 140	80



Wrapping material non-woven from stericlin®

The combination of cellulose and synthetic fibres – DIN EN ISO 11607



Stericlin® wrapping material made of non-woven distinguish by excellent drapability in conjunction with high mechanical strength. It meets the requirements of DIN EN ISO 11607 and DIN EN 868-2 and is suitable for the packaging of medical devices such as instrument trays and textiles. The higher the grammage of the non-woven, the more resistant the flexible packaging produced from it.

The mixed fibres (cellulose and synthetic fibres) of the non-woven material support the complete drying of the residual moisture after sterilisation.

For double packaging, you can combine SMS, non-woven and crepe packaging – regardless of colour and format. Please refer to the packing methods described in the DIN 58953, part 7.

We recommend that you create a double-packaging by two successive packaging operations. Only that way you will get efficient double packaging, which enables a bacterial count reduction during unpacking, ensuring an aseptic presentation.

Article No.	Material	Size in cm	Pack (pcs.)
3FVLI330104	Non-woven blue 52g	50 × 50	500
3FVLI330106	Non-woven blue 52g	60 × 60	500
3FVLI330108	Non-woven blue 52g	75 × 75	200
3FVLI330112	Non-woven blue 52g	90 × 90	200
3FVLI330114	Non-woven blue 52g	100 × 100	200
3FVLI330116	Non-woven blue 52g	100 × 140	100
3FVLI330118	Non-woven blue 52g	120 × 120	100
3FVLI330120	Non-woven blue 52g	120 × 140	100
3FVLI330124	Non-woven blue 52g	130 × 150	100
3FVLI330126	Non-woven blue 52g	140 × 140	100
3FVLI330128	Non-woven blue 52g	150 × 190	100
3FVLI330204	Non-woven green 52g	50 × 50	500
3FVLI330206	Non-woven green 52g	60 × 60	500
3FVLI330208	Non-woven green 52g	75 × 75	200
3FVLI330212	Non-woven green 52g	90 × 90	200
3FVLI330214	Non-woven green 52g	100 × 100	200
3FVLI330218	Non-woven green 52g	120 × 120	100
3FVLI330222	Non-woven green 52g	130 × 130	100
3FVLI350106	Non-woven blue 59g	60 × 60	500
3FVLI350108	Non-woven blue 59g	75 × 75	200
3FVLI350112	Non-woven blue 59g	90 × 90	200
3FVLI350114	Non-woven blue 59g	100 × 100	200
3FVLI350118	Non-woven blue 59g	120 × 120	100
3FVLI350126	Non-woven blue 59g	140 × 140	100



Wrapping material crepe from stericlin®



Made of 100% cellulose-based medical paper – DIN EN ISO 11607

Stericlin® crepe is the most economical wrapping material and is made of 100% cellulose-based medical paper. This wrapping material is particularly suitable for the packaging of lighter instruments and kits. The material meets the requirements of DIN EN ISO 11607 and DIN EN 868-2.

You can choose from two versions: crepe and crepe sensitive. Through a special manufacturing process, the crepe sensitive material is softer and more flexible to use.

For double packaging, you can combine SMS, non-woven and crepe packaging – regardless of colour and format. Please refer to the packing methods described in the DIN 58953, part 7.

We recommend that you create a double-packaging by two successive packaging operations. Only that way you will get efficient double packaging, which enables a bacterial count reduction during unpacking, ensuring an aseptic presentation.



Article No.	Material	Size in cm	Pack (pcs.)
3FPAP310102	Crepe white	40 × 40	1500
3FPAP310104	Crepe white	50 × 50	750
3FPAP310106	Crepe white	60 × 60	750
3FPAP310108	Crepe white	75 × 75	350
3FPAP310112	Crepe white	90 × 90	250
3FPAP310114	Crepe white	100 × 100	250
3FPAP310118	Crepe white	120 × 120	125
3FPAP310202	Crepe green	40 × 40	1500
3FPAP310204	Crepe green	50 × 50	750
3FPAP310206	Crepe green	60 × 60	750
3FPAP310208	Crepe green	75 × 75	350
3FPAP310212	Crepe green	90 × 90	250
3FPAP310214	Crepe green	100 × 100	250
3FPAP310218	Crepe green	120 × 120	125



CSSD accessories



For maximum safety during the sterilisation process






It is of critical importance to ensure a correct, safe and complete reprocessing process for medical devices, and to validate and document the process sequence. Possible errors or failure could lead to serious consequences. CSSD accessories from steriCLIN® enable unparalleled quality assurance: first-class products from a single supplier, excellent service included.

- Adhesive tapes
- Tray accessories
- Container accessories
- Protective packaging
- Cable ties
- Instrument protection
- Seal seam tests
- Hygiene wipes
- Waste bags with adhesive strip
- Disposable carton

Stericlin® adhesive tapes

With or without indicator imprint

Stericlin® adhesive tapes are used for safe and sterilisation-resistant sealing of crepe, non-woven and SMS wrapping materials. They are available with or without indicator print.

Article No.	Description	Size (width × length)	Pack	
3FKLB410102/ 3FKLB410302	beige, with STEAM indicator	19 mm/50 m	48 reels	
3FKLB410104/ 3FKLB410304	beige, with STEAM indicator	25 mm/50 m	36 reels	
3FKLB410106	blue, with STEAM indicator	19 mm/50 m	48 reels	
3FKLB410108	beige, with EO indicator	19 mm/50 m	48 reels	
3FKLB410110	white, with VH2O2 (plasma) indicator	25 mm/25 m	12 reels	



Stericlin® adhesive tapes – With or without indicator imprint

	Article No.	Description	Size (width × length)	Pack
	3FKLB410112	white, with DRY-HEAT indicator	19 mm/50 m	48 reels
	3FKLB410202/ 3FKLB410402	beige, without indicator	19 mm/50 m	48 reels
	3FKLB410204/ 3FKLB410404	beige, without indicator	25 mm/50 m	36 reels
	3FKLB410206/ 3FKLB410406	beige, without indicator	50 mm/50 m	24 reels
	3FKLB410208	blue, without indicator	19 mm/50 m	48 reels

Stericlin® tape dispenser

Accessories for stericlin® adhesive tapes

Our tape dispensers can be used for all stericlin® adhesive tapes. They stand for an efficient, quick and easy work process.

Article No.	Description	Pack	
3FSZB410302	Tape dispenser (made of metal)	1 pc.	
3FSZB410304	Tape dispenser for two rolls (made of metal)	1 pc.	

Stericlin® Tray liners

Reliable protection for your flexible packaging

Robust and reliable: Stericlin® tray liners for mesh trays are made of heavy-duty, moisture-absorbent crepe to avoid damage of the sterile barrier wrapping material during sterilisation, transport and storage. They also support the drying process.

	Article No.	Size in cm	Pack (pcs.)
	3FTSZ420102	25 x 25 *) Outer dimension 35 x 35	500
	3FTSZ420104	48 x 25 *) Outer dimension 58 x 35	500
	3FTSZ420110	58 x 35	500

*) The versions 25 x 25 cm and 48 x 25 cm are delivered „pre-formed“ – with cutted edges and in front folded protrusion (5 cm per side).

Stericlin® corner reinforcement for sterilisation trays

Reliable protection for your flexible packaging

Robust and reliable: Stericlin® corner reinforcement prevents damage to the sterile barrier system, which can be caused by sharp edges or feet of heavy trays respectively rental trays. The corner reinforcement optimally protects the wrapping material during sterilisation, transport and storage.

The silicone corner protectors can be fixed with our silicone plugs (page 54) or silicone cable ties (page 68).



Article No.	Description	Size in cm	Pack (pcs.)
3FTSZ422105	Corner protectors made of paper	10 x 10 x 5	1200
NEW 3FTSZ422202	Stericlin® corner protectors made of silicone, heat resistant up to 200°C, colour: green, suitable for permanent attachment to perforated plate or wire mesh baskets by using our silicone plugs	7,5 x 7,5 x 3	4

Silicone plugs

For fixation of basket labels and corner protectors



Our stericlin® silicone plugs offer flexibility in fixation.

The plugs are easy to attach as well as to remove and provide a good flow of cleaning media.

We offer different colors for the differentiation of e.g. departments or purposes.

Article No.	Description	Pack (pcs.)
3FEDS843302	Colour: blue, length: 22 mm, diameter: 3 mm (pen) / 16 mm (plate)	100
3FEDS843304	Colour: yellow, length: 22 mm, diameter: 3 mm (pen) / 16 mm (plate)	100
3FEDS843308	Colour: transparent, length: 22 mm, diameter: 3 mm (pen) / 16 mm (plate)	100





Stericlin® tray labels

The simple marking of instrument trays

NEW

For quick identification, sorting and coding of instrument trays. Due to their material properties, stericlin® tray labels are suitable for the entire reprocessing cycle and can be written on with fiber pens or glued on with labels. Various colours and labels provide the necessary flexibility to communicate information between departments.


Customized combinations can also be manufactured upon customer request.



Article No.	Size (mm)	Colour	Printing	Description	Pack (pcs.)
3FTSZ430152	236 × 50	white	blank	-	1000
3FTSZ430154	236 × 50	orange	blank	-	1000
3FTSZ430156	236 × 50	blue	blank	-	1000
3FTSZ430158	236 × 50	green	blank	-	1000
3FTSZ430160	236 × 50	yellow	blank	-	1000
3FTSZ430162	236 × 50	red	blank	-	1000
3FTSZ430172	160 × 35	white	blank	-	1000
3FTSZ430174	160 × 35	orange	blank	-	1000
3FTSZ430176	160 × 35	blue	blank	-	1000
3FTSZ430178	160 × 35	green	blank	-	1000
3FTSZ430180	160 × 35	yellow	blank	-	1000
3FTSZ430182	160 × 35	red	blank	-	1000
3FTSZ430302	100 × 110	white	blank	with snap lock	250
3FTSZ430304	210 × 110	white	blank	-	1000

Stericlin® absorbent inner layers

To avoid wet instrument trays



Stericlin® absorbent inner layers are made of water-absorbent non-woven material to soak up the condensate that builds up in the sterilisation container or tray during the sterilisation process. The condensate is distributed evenly to ensure better vaporisation during the drying process.

Please note: Absorbent inner layers have no barrier function, therefore they do not replace a sterile barrier system at all.

Article No.	Size in cm	Pack (pcs.)
3FCZB440108	25 × 30	1000
3FCZB440110	30 × 50	1000

Stericlin® container labels

Many versions – for all common container systems

Labelling and identification made easy! Stericlin® container labels are self-adhesive and contain all the fields relevant for recording information. In this way, reliable tracking of every container is guaranteed.

We can implement other dimensions or special requirements for you individually. Please contact us, we will advise you.

Article No.	Container type	Size (width × height) (incl. flap)	Pack (pcs.)	
3FCZB450102	Aesculap	75 × 35 mm (incl. flap)	1000	
3FCZB450104	Aesculap	67 × 39 mm (incl. flap)	1000	
3FCZB450106	Aesculap	60 × 18 mm (incl. flap)	1000	
3FCZB450108	Wagner	59 × 40 mm	1000	

Identification plates made of aluminium

For labelling, allocation and transmission of information

NEW



Identification plates made of aluminium can be used, among other things, in the drawers of various container types and also communicate information by means of a colour assignment.

Article No.	Description	Size in mm	Colour	Carton content (pcs.)
3FEDS843202	Identification plates made of aluminium	50 × 18	blue	25
3FEDS843204	Identification plates made of aluminium	50 × 18	green	25
3FEDS843206	Identification plates made of aluminium	50 × 18	red	25
3FEDS843208	Identification plates made of aluminium	50 × 18	yellow	25
3FEDS843210	Identification plates made of aluminium	50 × 18	natural	25

Stericlin® plastic seals

Secure sealing for protection against manipulation

NEW

Stericlin® plastic seals consist of sterilisation-resistant polypropylene and are available in different colours. All common container systems with locking eyelets can be securely sealed in simple steps.

Stericlin® SoloSeals are ideally suited for Aesculap containers - stericlin® DuoSeals are recommended for Wagner containers and stericlin® MultiSeals for various other containers. The special construction of all versions of the stericlin® plastic seal with a large opening angle facilitates simple fitting to the container and locking by hooking on.

The container can only be opened by breaking the seal. This ensures that the sterile goods container has not been manipulated on its arrival at the place of use. Stericlin® plastic seals are opened by bending at the defined breaking point and turning the handle plate gently. The stericlin® plastic seal can then be broken without any effort.



Article No.	Description	Container compatibility	Colour	Indicator	Carton content (items)
3FCZB460302	MultiSeal	Various	dark blue	No	1000
3FCZB460303	MultiSeal	Various	yellow	No	1000
3FCZB460304	MultiSeal	Various	red	No	1000
3FCZB460306	MultiSeal	Various	green	No	1000
3FCZB460308	MultiSeal	Various	white	No	1000
3FCZB460310	MultiSeal	Various	dark blue	STEAM	1000
3FCZB460312	MultiSeal	Various	red	STEAM	1000
3FCZB460313	MultiSeal	Various	yellow	STEAM	1000
3FCZB460314	MultiSeal	Various	green	STEAM	1000
3FCZB460316	MultiSeal	Various	white	STEAM	1000
3FCZB460402	SoloSeal	Aesculap	dark blue	No	1000
3FCZB460404	SoloSeal	Aesculap	green	No	1000
3FCZB460406	SoloSeal	Aesculap	white	No	1000
3FCZB460408	SoloSeal	Aesculap	red	No	1000
3FCZB460410	SoloSeal	Aesculap	yellow	No	1000
3FCZB460412	SoloSeal	Aesculap	orange	No	1000
3FCZB460414	SoloSeal	Aesculap	violet	No	1000
3FCZB460416	SoloSeal	Aesculap	light blue	No	1000
3FCZB460418	SoloSeal	Aesculap	dark blue	STEAM	1000
3FCZB460420	SoloSeal	Aesculap	green	STEAM	1000
3FCZB460422	SoloSeal	Aesculap	white	STEAM	1000
3FCZB460424	SoloSeal	Aesculap	red	STEAM	1000
3FCZB460426	SoloSeal	Aesculap	yellow	STEAM	1000
3FCZB460428	SoloSeal	Aesculap	orange	STEAM	1000
3FCZB460430	SoloSeal	Aesculap	violet	STEAM	1000
3FCZB460432	SoloSeal	Aesculap	light blue	STEAM	1000

NEW



Plastic seals Solo / Duo and Multi

Article No.	Description	Container compatibility	Colour	Indicator	Carton content (items)
3FCZB460452	DuoSeal	Aesculap / Wagner	red	No	1000
3FCZB460454	DuoSeal	Aesculap / Wagner	dark blue	No	1000
3FCZB460456	DuoSeal	Aesculap / Wagner	green	No	1000
3FCZB460458	DuoSeal	Aesculap / Wagner	yellow	No	1000
3FCZB460460	DuoSeal	Aesculap / Wagner	red	STEAM	1000
3FCZB460462	DuoSeal	Aesculap / Wagner	dark blue	STEAM	1000
3FCZB460464	DuoSeal	Aesculap / Wagner	green	STEAM	1000
3FCZB460466	DuoSeal	Aesculap / Wagner	yellow	STEAM	1000

Special seals and security seals for various applications

Secure sealing to protect against tampering

NEW

The original KLS Martin microStop® and MiniSet single-use plastic seals are simply clicked into the corresponding containers from above and lock themselves in place.

Security seals are used to mark and secure a wide variety of transport goods. Containers, trolleys, boxes, transport carts and other items are protected against tampering. The consecutive numbering ensures traceability and provides complete documentation. Thanks to the practical removal aid, the seal can be opened without tools.



Art. 3FCZB460484



Art. 3FCZB460486






Art. 3FSZB861302 + 3FSZB861304

Article No.	Description	Container compatibility	Colour	Indicator	Carton content (items)
3FCZB460482	KLS Martin miniset seal	MiniSet containers	red	STEAM	1000
3FCZB460484	KLS Martin multi seal	microStop® containers	red	STEAM	1000
3FCZB460486	KLS Martin multi seal	microStop® containers	red	No	1000
3FSZB861302	stericlin® safety seal made of polypropylene, Length: 230 mm / with removal aid / consecutively numbered	Various	red	No	100
3FSZB861304	stericlin® safety seal made of polypropylene Length: 230 mm / with removal aid / consecutively numbered	Various	green	No	100

Stericlin® container seals made of sterilisation-proof special cardboard

High protection against manipulation

All common container systems with locking loop can be easily and securely sealed with the stericlin® container seal. The container can only be opened by destroying the seal.




	Article No.	Description	Size (width × height)	Pack (pcs.)
	3FCZB460102	with STEAM indicator, without documentation field	80 × 40 mm (folded: 40 × 40 mm) Strip: 2,5 × 70 mm	500
	3FCZB460104	without indicator and documentation field	80 × 40 mm (folded: 40 × 40 mm) Strip: 2,5 × 70 mm	500
	3FCZB460110	with STEAM indicator and documentation field	125 × 45 mm (folded: 62,5 × 45 mm) Strip: 2,5 × 70 mm	500

Stericlin® container filters

The reliable barrier against germs and bacteria –
for all common container systems

Stericlin® container filters form a reliable barrier against germs and bacteria. The material meets the requirements of DIN EN ISO 11607 and DIN EN 868-2. Made for single use only, they guarantee reproducible quality. An extra benefit comes with their high efficiency.

We can implement other dimensions or special requirements for you individually. Please contact us, we will advise you.

Article No.	Container type	Description	Pack (pcs.)	
3FCZB470102	Aesculap	rectangular, made of paper, with print + STEAM indicator, size: 230 × 230 mm, sloped edges	500	
3FCZB470104	Aesculap	rectangular, made of paper, with print + STEAM indicator, size: 171 × 232 mm, sloped edges	1000	
3FCZB470106	Aesculap	rectangular, made of paper, with print + STEAM indicator, size: 118 × 235 mm, sloped edges	1000	

Stericlin® dust cover bags for sterile barrier systems

The protective packaging with self-adhesive closure



Dust cover bags from Stericlin® offer reliable protection packaging for sterile goods and sterile barrier systems during transport and storage.

In combination with sterile barrier systems, they enable the formation of packaging systems which may be stored for up to 5 years in accordance with DIN 58953-8.

Article No.	Size in cm (width × length)	Pack (pcs.)
3FSSV510102	20 × 30	1000
3FSSV510106	25 × 40	500
3FSSV510108	25 × 120	500
3FSSV510110	30 × 50	500
3FSSV510112	42 × 70	500
3FSSV510114	60 × 50	100
3FSSV510116	60 × 75	100
3FSSV510118	70 × 100	100

Stericlin® safety bags for disinfected medical devices

According to the recommendation of DGSV's Quality Task Group (90)

The safety bag from stericlin® reliably protects your disinfected medical devices from recontamination. Thanks to its germ-free inner side, the bag fulfils and exceeds the 2015 recommendations of DGSV's Quality Task Group (90).



Article No.	Size in mm (width × length)	Pack (pcs.)
3FSSV512101	197 × 170	500
3FSSV512102	197 × 300	500
3FSSV512106	247 × 390	500
3FSSV512108	247 × 700	500
3FSSV512110	297 × 500	500
NEW 3FSSV512112	413 × 460	200
3FSSV512114	623 × 550	200

Stericlin® safety bags for explants

The transport and storage packaging for extracted implants



Implants are the property of the patient and must be handed on request after extraction. Our stericlin® safety bags for explants are used for transport and storage of remote implants.

Article No.	Size in mm (width × length)	Pack (pcs.)
3FSSV514102	197 × 170	100
3FSSV514104	197 × 300	100
3FSSV514106	197 × 600	100

Stericlin® protective packaging for ultrasound probes

Available in two types: DISINFECTED and CONTAMINATED

Stericlin® protective packaging for vaginal, rectal and abdominal ultrasound probes contribute substantially to preventing contamination and sign hygienic handling.

In using the "DISINFECTED" stericlin® protective packaging type, the germ-free inner side ensures that preparation is upheld and that the probe is protected from any recontamination up to when it is used.

The "CONTAMINATED" stericlin® protective packaging type protects your patients, staff and the general public from any direct contact with contaminated ultrasound probes when ultrasonic equipment fitted with probes is transported through the hospital.



Article No.	Description	Size in mm	Pack (pcs.)
3FSSV516105	"DISINFECTED" type / for vaginal ultrasound probes	97 × 460	100 (5 × 20)
3FSSV516110	"DISINFECTED" type / for rectal ultrasound probes	97 × 760	100 (5 × 20)
3FSSV516115	"DISINFECTED" type / for abdominal ultrasound probes	177 × 290	100 (5 × 20)
3FSSV516205	"CONTAMINATED" type / for vaginal ultrasound probes	97 × 460	100 (5 × 20)
3FSSV516210	"CONTAMINATED" type / for rectal ultrasound probes	97 × 760	100 (5 × 20)
3FSSV516215	"CONTAMINATED" type / for abdominal ultrasound probes	177 × 290	100 (5 × 20)

Stericlin® cable ties made of silicone

Useful in many applications: bundling, attaching, marking...

NEW



Stericlin® cable ties

Our Stericlin® silicone cable ties are produced in compliance with the highest quality standards. They protect your instruments and create clear structures in your instrument trays. In addition, Stericlin® cable ties allow colour coding of instrument trays, transport baskets, etc. High resistance properties ensure that all common cleaning, disinfection and sterilisation processes can be used - at temperatures up to 230°C.



Stericlin® cable ties flat, 190 mm

The design of the Stericlin® cable ties is designed to securely fix a wide range of diameters of instrument bundles. The silicone material has a high elasticity and therefore prevents damage to your instruments during bundling.



Stericlin® cable ties in use

Stericlin® silicone cable ties are available in various lengths, colours and designs to meet all requirements. All variants have locking teeth along the entire length, as well as two eyelets on each headpiece. This allows very versatile mounting options. For a better grip and easy opening, the head piece is also fitted with grooves.



Cable tie round, 110mm: Art. xxx230 - xxx242

Article No.	Description	Size (length)	Pack (pcs.)
3FSZB720230	Cable tie made of silicone, round, colour: blue	110 mm	100
3FSZB720232	Cable tie made of silicone, round, colour: yellow	110 mm	100
3FSZB720234	Cable tie made of silicone, round, colour: green	110 mm	100
3FSZB720236	Cable tie made of silicone, round, natural/transparent	110 mm	100
3FSZB720238	Cable tie made of silicone, round, colour: red	110 mm	100
3FSZB720240	Cable tie made of silicone, round, colour: black	110 mm	100
3FSZB720242	Cable tie made of silicone, round, colour: purple	110 mm	100
3FSZB720244	Cable tie made of silicone, round, colour: blue	210 mm	100
3FSZB720246	Cable tie made of silicone, round, colour: yellow	210 mm	100
3FSZB720248	Cable tie made of silicone, round, colour: green	210 mm	100
3FSZB720250	Cable tie made of silicone, round, colour: natural/transparent	210 mm	100
3FSZB720252	Cable tie made of silicone, round, colour: red	210 mm	100
3FSZB720254	Cable tie made of silicone, round, colour: black	210 mm	100
3FSZB720256	Cable tie made of silicone, round, colour: purple	210 mm	100



Cable tie round, 210mm: Art. xxx244 - xxx256

Stericlin® cable ties made of silicone

NEW

Article No.	Description	Size (length)	Pack (pcs.)
3FSZB720216	Cable tie made of silicone, flat, colour: blue	110 mm	100
3FSZB720218	Cable tie made of silicone, flat, colour: yellow	110 mm	100
3FSZB720220	Cable tie made of silicone, flat, colour: green	110 mm	100
3FSZB720222	Cable tie made of silicone, flat, colour: natural/transparent	110 mm	100
3FSZB720224	Cable tie made of silicone, flat, colour: orange	110 mm	100
3FSZB720226	Cable tie made of silicone, flat, colour: red	110 mm	100
3FSZB720228	Cable tie made of silicone, flat, colour: black	110 mm	100
3FSZB720202	Cable tie made of silicone, flat, colour: blue	190 mm	100
3FSZB720204	Cable tie made of silicone, flat, colour: yellow	190 mm	100
3FSZB720206	Cable tie made of silicone, flat, colour: green	190 mm	100
3FSZB720208	Cable tie made of silicone, flat, natural/transparent	190 mm	100
3FSZB720210	Cable tie made of silicone, flat, colour: orange	190 mm	100
3FSZB720212	Cable tie made of silicone, flat, colour: red	190 mm	100
3FSZB720214	Cable tie made of silicone, flat, colour: black	190 mm	100
3FSZB720258	Silicone rubber bundle strings, flat, colour: green	300 mm	100
3FSZB720260	Silicone rubber bundle strings, flat, colour: blue	300 mm	100
3FSZB720262	Silicone rubber bundle strings, flat, colour: yellow	300 mm	100
3FSZB720264	Silicone rubber bundle strings, flat, colour: red	300 mm	100
3FSZB720266	Silicone rubber bundle strings, flat, colour: orange	300 mm	100



Cable tie flat, 110mm: Art. xxx116 – xxx228



Cable tie flat, 190mm: Art. xxx202 – xxx214



Bundle strings flat, 300mm: Art. xxx258 – xxx266

Stericlin® instrument protection made of paper and film

The protection for high-quality instruments against damage



3FSZB730102

The stericlin® InstruProtector is intended to protect small and sensitive instruments during sterilisation and keeps them in place. In addition, the InstruProtector helps to prevent damage to the sterile barrier system (e.g. see-through packaging).

Forceps, knife handles, probes – instrument bags from stericlin® help organise and optimally protect all small components for sterilisation in a tray or see-through packaging. After assembly, the instrument bags can be folded or rolled up and sterilised well protected in the tray or in see-through packaging.

Please note: Instrument bags have no barrier function, therefore they do not replace a sterile barrier system at all.



3FSZB730104

Article No.	Description	Pack (pcs.)
3FSZB730102	InstruProtector, size: 51 × 127 mm	250
3FSZB730104	InstruProtector, size: 90 × 168 mm	100
3FSZB730120	Instrument bag, size: 520 × 210 mm, with STEAM-Indicator	250



3FSZB730120

Stericlin® highline instrument protection caps

Protection against damage for points and edges

NEW

Stericlin® Highline instrument protection caps are available in different versions, and are specially designed for instrument protection.

The easy-to-use protective caps, are protecting the tips and edges of the instruments from damage during sterilisation and transport. In addition, highline protective caps help to prevent damage to the sterile barrier system (e.g. transparent packaging) and cut and stab injuries to employees.

In order to increase patient safety, we deliberately refrain from punching holes in stericlin® Highline instrument protection caps, as these cannot be produced completely without burrs according to current state-of-the-art technology. Especially when using sharp-edged instruments, it cannot be ruled out that particles become separated from the holes in the protective cap. In order to be able to ensure that the sterilisation medium flows around the instruments very well, even without perforating the protective cap, the protective caps are equipped with internal knobs. These prevent the protective caps from being too tight and fully adhered on the instruments and subsequently reliably enable successful sterilisation.

All versions are suitable for steam sterilisation.



3FSZB730456 - 3FSZB730411



3FSZB730452 - 3FSZB730445



Detail internal knobs

Article No.	Description	Size in mm	Colour (translucent)	Pack (pcs.)
3FSZB730456	Round cap	1,6 × 19	white	100
3FSZB730420	Round cap	1,6 × 19	clear	100
3FSZB730458	Round cap	2 × 19	blue	100
3FSZB730422	Round cap	2 × 19	clear	100
3FSZB730460	Round cap	2,8 × 19	green	100
3FSZB730424	Round cap	2,8 × 19	clear	100
3FSZB730462	Round cap	3,2 × 25,4	red	100
3FSZB730426	Round cap	3,2 × 25,4	clear	100
3FSZB730464	Round cap	5 × 25	yellow	100
3FSZB730428	Round cap	5 × 25	clear	100
3FSZB730411	Round cap	10 × 19	violet	100
3FSZB730413	Round cap	10 × 19	clear	100
3FSZB730452	Flat cap	6,4 × 19	clear	50
3FSZB730454	Flat cap	2 × 9 × 25	clear	100
3FSZB730444	Flat cap	2 × 9 × 25	orange	100
3FSZB730440	Flat cap	12,7 × 25	clear	50
3FSZB730466	Flat cap	2 × 16 × 25	clear	100
3FSZB730468	Flat cap	2 × 16 × 25	brown	100
3FSZB730450	Flat cap	19 × 25,4	clear	50
3FSZB730446	Flat cap	3 × 25 × 25	clear	100
3FSZB730448	Flat cap	3 × 25 × 25	black	100
3FSZB730441	Flat cap	32 × 32	clear	50
3FSZB730443	Flat cap	38 × 38	clear	50
3FSZB730445	Flat cap	32 × 44,5	clear	50

NEW



3FSZB730429 - 3FSZB730435



3FSZB730486 - 3FSZB730490



3FSZB730482

Stericlin® Highline instrument protection caps

Article No.	Description	Size in mm	Colour (translucent)	Pack (pcs.)
3FSZB730429	Twin cap	1,6 × 19	white	50
3FSZB730431	Twin cap	2 × 19	blue	50
3FSZB730430	Twin cap	2,8 × 19	green	50
3FSZB730432	Twin cap	3,2 × 25	red	50
3FSZB730434	Twin cap	5 × 25	yellow	50
3FSZB730435	Twin cap	2 × 9 × 25	orange	50
3FSZB730486	Retractor cap	13 × 25	violet	50
3FSZB730488	Retractor cap	13 × 25	clear	50
3FSZB730490	Retractor cap	13 × 32	clear	50
3FSZB730470	Pointed cap	Ø: 2 - 3 / Length: 38	white	70
3FSZB730472	Pointed cap	Ø: 3 - 4 / Length: 38	blue	70
3FSZB730474	Pointed cap	Ø: 4 - 5 / Length: 38	green	70
3FSZB730476	Pointed cap	Ø: 5 - 6 / Length: 38	red	70
3FSZB730477	Pointed cap	Ø: 6 - 7 / Length: 38	yellow	70
3FSZB730478	Pointed cap	Ø: 7 - 8 / Length: 38	violet	70
3FSZB730480	Pointed cap	Ø: 2 - 3 / Length: 51	white	70
3FSZB730482	Pointed cap	Ø: 3 - 4 / Length: 51	blue	70
3FSZB730483	Pointed cap	Ø: 4 - 5 / Length: 51	green	70
3FSZB730484	Pointed cap	Ø: 5 - 6 / Length: 51	red	70
3FSZB730485	Pointed cap	Ø: 6 - 7 / Length: 51	yellow	70
3FSZB730487	Pointed cap	Ø: 7 - 8 / Length: 51	violet	70

Stericlin® seal seam integrity tests

For routine testing of seal seams according to DIN EN ISO 11607

Stericlin® seal seam integrity tests are easy to perform and detect quickly channels and voids of the seal seam. In combination with the Seal Test they offer the comprehensive and secure routine testing for the heat sealing process.

For specifications, see the DGSV guidelines for the validation of packaging processes according to DIN EN ISO 11607-2. The use of ink tests is required in Appendix A.7.3 and A.7.4 (page 23/24).

We offer the seal seam integrity tests in two basic versions: „Pipette“ and „disposable ink bag“.

Article No.	Description	Pack (pcs.)
3FSZB830102	Seal seam integrity test (75 ml) Pipette DIN EN ISO 11607/ASTM F1929	1
3FSZB830103	Seal seam integrity test „Liquid Control“ Disposable ink bag DIN EN ISO 11607/ASTM F1929 for see-through packaging made of paper and film	30
3FSZB830104	Seal seam integrity test „Liquid Control“ Disposable ink bag DIN EN ISO 11607 for see-through packaging made of polyolefins (DuPont™ Tyvek®) and film, and for see-through packaging made of PP non-woven and film	30



Seal seam integrity test in application



3FSZB830102



3FSZB830103

Stericlin® seal tests

For routine testing of seal seams according to DIN EN ISO 11607



Seal test in application

The Stericlin® Seal Test is used for routine testing of the seal device, showing irregularities and damage clearly in the seam. In combination with the seal seam integrity test it offers the most comprehensive and reliable routine examination for the heat sealing process.

For specifications, see the DGSV guidelines for the validation of packaging processes according to DIN EN ISO 11607-2. The use of seal tests is required in Appendix A.7.2 (page 22).

Article No.	Description	Pack (pcs.)
3FSZB830106	Seal test paper DIN EN ISO 11607	250
3FSZB830108	Seal test DuPont™ Tyvek® DIN EN ISO 11607	125



3FSZB830106 - paper



3FSZB830108 - DuPont™ Tyvek®

Stericlin® hygiene wipes

Compatible with commercially available disinfectants

Stericlin® hygiene wipes made of 100% microfibre are compatible with commercially available disinfectants, lint-free and are characterised by outstanding cleaning and absorption performance.

The absorption capacity amounts 850% at a base weight of 60 g/m².

Please note that the hygiene wipes are intended for single use only.



Article No.	Description	Pack (pcs.)
3FSZB790120	Hygiene wipes microfibre (disposable), colour: white, size: 305 × 340 mm, pack: 8 × 40 pcs.	320

Stericlin® waste bags with adhesive strip

A simple solution for disposal



Stericlin® waste bags can be used in a variety of ways for disposal and can be attached to the patient's bed, for example, with the adhesive strip on the back.

Article No.	Description	Pack (pcs.)
3FSZB710130	Waste bag with adhesive strip on the back side, material: foil (LDPE), size: 22 × 25 cm	1000

Stericlin® disposable carton

Integrated film bag

The size of the stericlin® disposable carton and its integrated film bag design make it eminently suitable for disposal of both stericlin® transport boxes and other clinical waste.

Moreover, the handles and a simple locking mechanism ensure clean transportation.

Article No.	Description	Size in mm	Pack (pcs.)
3FSZB855310	Disposable carton for transport box with integrated film bag (for 40 parts)	365 x 270 x 590	10





steriCLIN®

Labeling / documentation



Identification, controlling, documenting and tracking of sterile barrier systems and medical devices

Make responsibility towards your patients visible - each sterilisation control must meet this claim and allow an easy and economical documentation that can be tracked in the patient record. We have set ourselves this claim in the design of our products. Convince yourself of stericlin®!





We provide a variety of self-adhesive labels and thermal transfer films for all common thermal transfer printers and documentation systems, indicator strips and labels for manual labelling of sterilisation types STEAM, EO, FORM, VH2O2 (plasma) and irradiation.






Stericlin® self-adhesive labels for thermal transfer printers, continuous roll

Sterilisation-proof marking and documentation of medical devices

Barcode labels from Stericlin® are used with thermal transfer printers. For the „continuous roll“ type, you specify the length of the individual labels that matches your usage. Stericlin® labels are available with or without indicator, single or double, self-adhesive.

Article No.	Material	Description	Pack	
3FSKS675103	Paper	with STEAM indicator, double self-adhesive (sandwich), modified adhesive (less adhesion), roll width: 70 mm, core: 50 mm, roll length: 80 m	5 reels	
3FSKS675105	Paper	with STEAM indicator, double self-adhesive (sandwich), roll width: 70 mm, core: 50 mm, roll length: 80 m	5 reels	
3FSKS675106	Paper	with STEAM indicator, double self-adhesive (sandwich), roll width: 70 mm, core: 76 mm, roll length: 80 m	5 reels	
3FSKS675108	Paper	with STEAM indicator, single self-adhesive, roll width: 70 mm, core: 50 mm, roll length: 80 m	5 reels	

Stericlin® self-adhesive labels for thermal transfer printers, continuous roll






	Article No.	Material	Description	Pack
	3FSKS675110	Paper	with STEAM and FORM indicator, double self-adhesive (sandwich), roll width: 70 mm, core: 50 mm, roll length: 80 m	5 reels
	3FSKS675120	DuPont™ Tyvek®	with VH2O2 (PLASMA) indicator, double self-adhesive (sandwich), roll width: 70 mm, core: 50 mm, roll length: 40 m	5 reels
	3FSKS675190	Paper	with STEAM indicator, special papier, not self-adhesive, roll width: 70 mm, core: 50 mm, roll length: 80 m	5 reels









Stericlin® self-adhesive labels for thermal transfer printers

Sterilisation-proof marking and documentation of medical devices

Barcode labels from stericlin® are used with thermal transfer printers. For the "single" type we have an extensive assortment with different formats and splits, to match your use. Stericlin® labels are available with or without indicator, single or double self-adhesive.







Article No.	Material	Description	Pack	
3FSKS675130	Paper	with STEAM indicator double self-adhesive (sandwich), size: 55 x 31 mm, core: 40 mm, roll width: 58 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675131	Paper	with STEAM indicator double self-adhesive (sandwich), size: 55 x 33 mm, core: 40 mm, roll width: 58 mm, roll at 1000 pcs	10000 pcs.	
3FSKS675132	Paper	with STEAM and EO indicator, double self-adhesive (sandwich), size: 55 x 33 mm, core: 40 mm, roll width: 58 mm, roll at 1000 pcs	10000 pcs.	
3FSKS675133	Film	with VH2O2 indicator, double self-adhesive (sandwich), size: 55 x 33 mm, core: 40 mm, roll width: 58 mm, roll at 1000 pcs.	10000 pcs.	
NEW 3FSKS675134	Paper	with STEAM and FORM indicator, double self-adhesive (sandwich), size: 55 x 33 mm, core: 40 mm, roll width: 58 mm, roll at 1000 pcs.	10000 pcs.	

Stericlin® self-adhesive labels for thermal transfer printers






	Article No.	Material	Description	Pack
	3FSKS675135	Paper	with STEAM indicator double self-adhesive (sandwich), size: 58 × 35 mm, core: 40 mm, roll width: 63 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675140	Paper	with STEAM indicator double self-adhesive (Sandwich) size: 60 × 31 mm, core: 40 mm, roll width: 64 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675145	Paper	with STEAM indicator double self-adhesive (sandwich), size: 60 × 44 mm, core: 40 mm, roll width: 64 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675150	Paper	with STEAM indicator double self-adhesive (sandwich), size: 63 × 40 mm, core: 40 mm, roll width: 67 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675153	DuPont™ Tyvek®	with VH2O2 indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs	2000 pcs.
	3FSKS675155	Paper	with STEAM indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.



Stericlin® self-adhesive labels for thermal transfer printers

Article No.	Material	Description	Pack	
3FSKS675156	Paper	with STEAM indicator, double self-adhesive (sandwich), size: 70 x 35 mm, core: 76 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675158	Paper	without print/ without indicator, double self-adhesive (sandwich), size: 75 x 35 mm, core: 40 mm, roll width: 78 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675159	Paper	without print / without indicator, double self-adhesive (sandwich), size: 75 x 35 mm, core: 76 mm, roll width: 78 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675160	Paper	with STEAM indicator, double self-adhesive (sandwich), size: 90 x 35 mm, core: 40 mm, roll width: 93 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675162	Paper	with STEAM indicator, double self-adhesive (sandwich), size: 70 x 48 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs	10000 pcs.	
3FSKS675163	Paper	with STEAM indicator, double self-adhesive (sandwich), size: 72 x 48 mm, core: 76 mm, split horizontal in front material (= 72 x 16 mm + 72 x 32 mm), roll width: 75 mm, roll at 1000 pcs.	10000 pcs.	

Stericlin® self-adhesive labels for thermal transfer printers, single, in different formats





	Article No.	Material	Description	Pack
	3FSKS675165	Paper	with STEAM indicator, double self-adhesive (sandwich), size: 102 x 56 mm, core: 76 mm, split in T-shape in front material (= 102 x 35 mm + 51 x 21 mm x2), roll width: 105 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675166	Paper	with STEAM indicator, double self-adhesive (sandwich), size: 102 x 56 mm, core: 76 mm, split in T-shape in front material (= 102 x 35 mm + 51 x 21 mm x2), roll width: 105 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675170	Paper	with STEAM indicator, single self-adhesive, size: 70 x 38,1 mm, core: 40 mm, 3 mm width control bar for printer on back side, roll width: 70 mm, roll at 2500 pcs.	10000 pcs.
	3FSKS675175	Paper	with STEAM indicator, single self-adhesive, centrally perforated, size: 88,5 x 36 mm, core: 40 mm, with remaliner, roll width: 110 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675180	Paper	with STEAM and FORM indicator, single self-adhesive, centrally perforated, size: 88,5 x 36 mm, core: 40 mm, with remaliner, roll width: 110 mm, roll at 1000 pcs.	10000 pcs.








Stericlin® self-adhesive labels for thermal transfer printers, for colour differentiation

Sterilisation-proof marking and documentation of medical devices

Barcode labels from stericlin® are used with thermal transfer printers. For colour differentiation, such as for expiry dates on your medical device packaging, one size of the stericlin® self-adhesive labels with STEAM indicator is now available in 12 different types. You can specify the sequence or the assigned month according to your needs.





Article No.	Material	Description	Pack	
3FSKS675305	Paper	Colour bar green, with STEAM indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675306	Paper	Colour bar blue, with STEAM indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675307	Paper	Colour bar red, with STEAM indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675308	Paper	Colour bar yellow, with STEAM indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.	

Stericlin® self-adhesive labels for thermal transfer printers, for colour differentiation

	Article No.	Material	Description	Pack
	3FSKS675309	Paper	Colour bar brown, with STEAM indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675310	Paper	Colour bar orange, with STEAM indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675311	Paper	Colour bar light green, with STEAM indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675312	Paper	Colour bar violet, with STEAM indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.
	3FSKS675313	Paper	Colour bar cyan, with STEAM indicator, double self-adhesive (sandwich), size: 70 × 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.







Stericlin® self-adhesive labels for thermal transfer printers, for colour differentiation

Article No.	Material	Description	Pack	
3FSKS675314	Paper	Colour bar pink, with STEAM indicator, double self-adhesive (sandwich), size: 70 x 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675315	Paper	Colour bar dark blue, with STEAM indicator, double self-adhesive (sandwich), size: 70 x 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675316	Paper	Colour bar grey, with STEAM indicator, double self-adhesive (sandwich), size: 70 x 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.	
3FSKS675317	Paper	Colour bar burgundy, with STEAM indicator, double self-adhesive (sandwich), size: 70 x 35 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	10000 pcs.	

Stericlin® self-adhesive labels for thermal transfer printers, for permanent marking

Cleaning and disinfection-resistant and sterilisation-proof marking of medical products devices

Barcode labels from Stericlin® are used with thermal transfer printers. For permanent marking of medical devices, Stericlin® self-adhesive labels are made of film material, without indicator. For printing, use our AXR® 8 thermal transfer film – it is perfect for this usage.

	Article No.	Material	Description	Pack
	3FSKS675210	Film	without print / without indicator, single self-adhesive, size: 40 × 28 mm, core: 40 mm, roll width: 43 mm, roll at 1000 pcs.	1000 pcs.
	3FSKS675215	Film	without print / without indicator, single self-adhesive, size: 50 × 28 mm, core: 40 mm, roll width: 53 mm, roll at 1000 pcs.	1000 pcs.
	3FSKS675217	Film	without print / without indicator, single self-adhesive, core: 40 mm, roll width: 57 mm, roll at 1000 pcs.	1000 pcs.
	3FSKS675220	Film	without print / without indicator, single self-adhesive, size: 70 × 33 mm, core: 40 mm, roll width: 73 mm, roll at 1000 pcs.	1000 pcs.



Stericlin® self-adhesive labels for thermal transfer printers, for permanent marking

Article No.	Material	Description	Pack	
3FSKS675224	Film	without print / without indicator, single-adhesive, size: 40 x 14 mm core: 40 mm colour: white	1000	
3FSKS675230	Film	without print / without indicator, single-adhesive, size: 40 x 28 mm, core: 40 mm, colour: white	1000	
3FSKS675232	Film	without print / without indicator, single-adhesive, size: 40 x 28 mm, core: 40 mm, colour: red	1000	
3FSKS675234	Film	without print / without indicator, single-adhesive, size: 40 x 28 mm, core: 40 mm, colour: green	1000	
3FSKS675236	Film	without print / without indicator, single-adhesive, size: 40 x 28 mm, core: 40 mm, colour: blue	1000	
3FSKS675238	Film	without print / without indicator, single-adhesive, size: 40 x 28 mm, core: 40 mm, colour: yellow	1000	
3FSKS675240	Film	without print / without indicator, single-adhesive, size: 40 x 28 mm, core: 40 mm, colour: silver	1000	
3FSKS675242	Film	without print / without indicator, single-adhesive, size: 40 x 28 mm, core: 40 mm, colour: pink	1000	
3FSKS675244	Film	without print / without indicator, single-adhesive, size: 40 x 28 mm, core: 40 mm, colour: orange	1000	

Hand labelling device with accessories from stericlin®

Easy, reliable and quick documentation

NEW



Our stericlin® hand labelling device with matching special labels is perfect for tracing and documenting medical products. All packaged sterilised goods are given a label with unique identification: product, serial number, employee, LOT number, date of manufacture and expiration date. After use in the OR the double self-adhesive labels can be peeled off the package and stuck in the patient file. This guarantees full traceability.

The stericlin® hand labelling device has a printing mechanism with 3 lines and 11 numbers each. This means that information such as product, employee, serial number, and LOT number can be applied coded to the label. The date of manufacture and expiration can be printed out in clear format.

Special labels for the stericlin® hand labelling device are available either without indicator or with Type 1 indicator according to DIN EN ISO 11140-1 for all common sterilisation methods. Each package of special labels already contains a suitable ink roll.

Article No.	Description	Size in mm	Pack
3FSZB670202	Hand labelling device, 3 lines		1 piece
3FSKS670210	Self-adhesive labels without indicator, 500 pcs. per roll	29 × 28	5000 pieces + ink roll
3FSKS670212	Self-adhesive labels with STEAM indicator, 500 pcs. per roll	29 × 28	5000 pieces + ink roll
3FSKS670214	Self-adhesive labels with EO indicator, 500 pcs. per roll	29 × 28	2500 pieces + ink roll
3FSKS670216	Self-adhesive labels with VH2O2 indicator, 500 pcs. per roll	29 × 28	2500 pieces + ink roll
3FSKS670218	Self-adhesive labels with FORM indicator, 500 pcs. per roll	29 × 28	2500 pieces + ink roll



Stericlin® labels for manual labelling/marketing

Sterilisation-proof marking and documentation of medical devices

With our stericlin® documentation labels for manual inscription all medical devices and sterile barrier systems featuring can be easily and professionally marked and documented.

Article No.	Description	Pack (pcs.)	
3FSKS670102	double self-adhesive, with STEAM and EO indicator, split in front and backing material as removal aid, size: 80 x 34 mm (single label) at 250 pcs. in a dispenser box	1000	
3FSKS670106	single self-adhesive, with STEAM indicator, label format: 25 x 20 mm (25 labels per sheet)	2500	
3FSKS670108	single self-adhesive, with FORM indicator, label format: 25 x 20 mm (25 labels per sheet)	2500	
3FSKS670110	single self-adhesive, with EO indicator, label format: 25 x 20 mm (25 labels per sheet)	2500	
3FSKS670112	single self-adhesive, with VH2O2 (PLASMA) indicator, label format: 25 x 20 mm (25 labels per sheet)	2500	

Stericlin® patient-related batch traceability documentation system

Sterilisation-proof marking and documentation of medical devices

With our stericlin® patient-related batch traceability documentation system you can easily and professionally ensure the traceability of medical devices and sterile barrier systems without the help of technical equipment.

This system can also provide a batch traceability documentation system as part of a failure concept (for example, failure of IT-based documentation).

	Article No.	Description	Pack (pcs.)
	3FSKS680102	Label, single self-adhesive, with STEAM indicator, with imprint and code, Size: 92 x 40 mm, dispenser box at 250 pcs.	1000
	3FSKS680106	Batch card, DIN A5, with STEAM indicator	600



Stericlin® Info labels with imprint

Standardised labeling of medical devices

With our pre-printed stericlin® labels, you can indicate on specific features and characteristics of medical devices.

Article No.	Description	Pack (pcs.)	
3FSZB710178	Stericlin® status label to indicate the hygiene status, double-adhesive, removable without leaving any residue, 1 label: green with print „Gereinigt / Clean“, 1 label: red with print „Kontaminiert / Contaminated“, on reel, core: 76 mm, size: 100 x 100 mm	500	
3FSZB710180	Adhesive label, red „contaminated“, in dispenser box, with safety perforation, single self-adhesive, size 80 x 25 mm	500	
NEW 3FSZB710182	Adhesive label, red, „contains used medical device“, in dispenser box, with safety perforation, single self-adhesive, size 80 x 25 mm	500	
NEW 3FSZB710190	Adhesive label, green, „contains processed medical device“, in dispenser box, with safety perforation, single self-adhesive, size 80 x 25 mm	500	
NEW 3FSZB710192	Adhesive label, green, „contains disinfected medical device“, in dispenser box, with safety perforation, single self-adhesive, size 80 x 25 mm	500	
NEW 3FSZB710194	Adhesive label, green, „contains sterilised medical device“, in dispenser box, with safety perforation, single self-adhesive, size 80 x 25 mm	500	

Identification tape

A quick and easy method of colour coding

NEW



The identification tape supports the organisation and identification of individual products in the CSSD as well as during transport between reprocessing and other functional areas.

The material easily withstands chemo-thermal cleaning and disinfection as well as treatment with steam.

Supplied in a transparent, resealable plastic box.

Article No.	Dimensions B x L	Colour	Pack (roll)
3FRINS168102	6,5 mm x 7,6 m	white	1
3FRINS168104	6,5 mm x 7,6 m	blue	1
3FRINS168106	6,5 mm x 7,6 m	green	1
3FRINS168108	6,5 mm x 7,6 m	red	1
3FRINS168110	6,5 mm x 7,6 m	yellow	1
3FRINS168112	6,5 mm x 7,6 m	purple	1
3FRINS168114	6,5 mm x 7,6 m	orange	1
3FRINS168116	6,5 mm x 7,6 m	brown	1
3FRINS168118	6,5 mm x 7,6 m	black	1



Stericlin® thermal transfer films

The perfect complement for printing on stericlin® labels

The stericlin® APX® FH+ thermal transfer film is a high-end wax/resin ribbon. It provides an excellent transfer quality on all smooth surfaces of paper and film with low energy consumption.

The thermal transfer printing is on a stericlin® label of colour resistance during steam sterilisation according to DIN EN 646 and DIN EN 648. This is confirmed by an ISEGA report.

The stericlin® thermal transfer film AXR® 8 is suitable in combination with our stericlin® labels made of film for the permanent labelling of containers or instrument trays. The combination is stable in cleaning-/disinfection machines and in steam sterilisation.

Further advantages of our stericlin® thermal transfer films include:

- Very high resistance to smudge and scratch
- Heat resistance up to 150 °C
- Very good printing quality and resolution
- Excellent sensitivity and receptor multi-compatibility

Please note the right setting for your printer in terms of speed and temperature.



Article No.	Description	Pack (reels)
3FSGZ815460	Thermal transfer film APX® FH+ outside coated 80 mm/74 m core 12,7 mm Ø	10
3FSGZ815462	Thermal transfer film APX® FH+ outside coated 80 mm/300 m core 25,4 mm Ø	5
3FSGZ815472	Thermal transfer film APX® FH+ outside coated 110 mm/300 m core 25,4 mm Ø	5
3FSGZ815480	Thermal transfer film AXR® 8 outside coated 60 mm/74 m core 12,7 mm Ø	5
3FSGZ815482	Thermal transfer film AXR® 8 outside coated 60 mm/300 m core 25,4 mm Ø	1
3FSGZ815484	Thermal transfer film AXR® 8 outside coated 83 mm/74 m core 12,7 mm Ø	1

Stericlin® fibre-tip pens

For labelling of disposables



3FSZB710102



3FSZB710104

Sterile barrier systems, adhesive tapes, labels and more: The sterilisation-proof Stericlin® fibre-tip pens have been developed for marking of a big variety of surfaces. We offer the pens in three colours with the line width „F“ (about 0,6 mm).

Please note: The inscription of see-through packaging may only take place on the film side and outside the filling area.

Article No.	Colour	Pack (pcs.)
3FSZB710102	black	10
3FSZB710104	blue	10

steriCLIN®



Sterile goods logistics



For safe transportation and storage of your medical devices

Our more than 40 years of expertise in the development and production of indicator systems, sterile barrier systems and sterilisation accessories, led us to support you with a comprehensive high quality range for transportation and storage of your medical devices.

- Transport box and accessories
- Silicone mats
- Instrument basket mesh covers made of silicone
- Instrument basket tags
- Instrument baskets and accessories

Stericlin® transport box

Liquid-tight single-use package for disposal – for transport from the OR to the CSSD

NEW



3FSZB710102

The Stericlin® transport box is the ideal solution for more hygiene and safety in the disposal and transport of contaminated instruments from the OR for preparation in the CSSD.


An easy to handle single-use package - the economic alternative to metal or plastic containers. By using the Stericlin® transport box handling costs are significantly lowered and additional capacities created in the container washer or washer-disinfector - thus saving on energy, water and cleaning chemicals.



Transport box variations



Transport boxes for TEE-probes and endoscopes



Art. 3FSZB855108 + xxx128



Art. 3FSZB855110 + xxx130

Article No.	Description	Size in mm	Pack (pcs.)
3FSZB855108	Transport box, bottom, size M (for ½ DIN tray 24 x 25 cm)	284 x 280 x 102	50
3FSZB855128	Transport box, lid, size M	300 x 290 x 92	50
3FSZB855110	Transport box, bottom, size L (for DIN tray 48 x 25 cm)	531 x 280 x 102	50
3FSZB855130	Transport box, lid, size L	547 x 290 x 92	50
3FSZB855112	Transport box, bottom, size XL (for DIN tray 54 x 25 cm or loaner trays)	576 x 280 x 139	50
3FSZB855132	Transport box, lid, size XL	592 x 290 x 129	50
3FSZB855114	Transport box, bottom, size XXL	706 x 415 x 112	50
3FSZB855134	Transport box, lid, size XXL	722 x 425 x 102	50
3FSZB855118	Transport box, bottom, „ROBOT“ (for DaVinci instruments „XI“, „SI“ and optics)	831 x 255 x 117	50
3FSZB855138	Transport box, lid, „ROBOT“ (for DaVinci instruments „XI“, „SI“ and optics)	847 x 265 x 107	50
3FSZB855154	Transport box, bottom, „TEE“ (for TEE-probes)	601 x 355 x 72	50
3FSZB855174	Transport box, lid, „TEE“ (for TEE-probes)	617 x 365 x 62	50
3FSZB855158	Transport box, bottom, „ENDO“ (for endoscopes)	601 x 465 x 122	50
3FSZB855178	Transport box, lid, „ENDO“ (for endoscopes)	617 x 475 x 112	50




Stericlin® transport box accessories

Additional products for simplified handling

NEW

For an even easier use of the stericlin® transport box, we have an assortment of accessories available for you. Whether it's a flexible carrying handle, adhesive labels or disposal boxes, these products make everyday hospital life easier.


Article No.	Description	Size in mm	Pack (pcs.)
3FSZB855210	Handle for transport box „TEE“ and „ENDO“		100
3FSZB710178	Stericlin® status label to indicate the hygiene status, double-adhesive, removable without leaving any residue, 1 label: green with print „Gereinigt / Clean“, 1 label: red with print „Kontaminiert / Contaminated“, on reel, core: 76 mm	100 x 100	500
3FSZB710180	Adhesive label "contaminated" with safety perforation Size 80 x 25 mm	80 x 25	500
3FSZB710182	Adhesive label, red, „contains used medical device“, with safety perforation	80 x 25	500
3FSZB710190	Adhesive label, green, „contains processed medical device“, with safety perforation	80 x 25	500
3FSZB710192	Adhesive label, green, „contains disinfected medical device“, with safety perforation	80 x 25	500
3FSZB710194	Adhesive label, green, „contains sterilised medical device“, with safety perforation	80 x 25	500
3FSZB855310	Disposable carton for transport box with integrated film bag (for 40 parts)	365 x 270 x 590	10



Stericlin® silicone mesh mats

Flexible inserts for instrument baskets to prevent slipping

NEW



Our stericlin® silicone mesh mats combine protection against slipping with durability.

The mats are washer-disinfector compatible and due to their improved structure they prevent the accumulation of moisture even more consequently.

We offer you the right mesh mat size for baskets with perforated sides as well as wire mesh baskets.

Article No.	Description	Size (mm)	Pack
3FEDS842412	Silicone mat for perforated plate baskets 1/2, with hexagonal structure for improved drying, heat resistant: up to 200 °C	238 x 248	1 pc.
3FEDS842414	Silicone mat for perforated plate baskets 1/1, with hexagonal structure for improved drying, heat resistant: up to 200 °C	480 x 250	1 pc.
3FEDS842416	Silicone mat for wire mesh baskets 1/1, with hexagonal structure for improved drying, heat resistant: up to 200 °C	460 x 229	1 pc.
3FEDS842418	Silicone mat for wire mesh baskets 1/2, with hexagonal structure for improved drying, heat resistant: up to 200 °C	215 x 229	1 pc.
3FEDS842402	Silicone mat for system / transport baskets 1/1, heat resistant: up to 200 °C	540 x 280 x 3	1 pc.



Stericlin® instrument basket mesh covers made of silicone



For secure fixation of instruments and accessories

NEW

Our stericlin® silicone mesh covers provide secure fixation of instruments and accessories during reprocessing.

The improved design of the hexagonal structure prevents accumulation of moisture even more consequently.

The instrument basket covers with internal stainless steel frame offer increased stability due to their heavier weight.



Article No.	Description	Size (mm)	Pack
3FEDS842404	Silicone mesh basket cover, flexible, with hexagonal structure for improved drying, heat resistant: up to 200 °C	440 x 230	1 pc.
3FEDS842406	Silicone mesh basket cover, rigid, with internal stainless steel frame and hexagonal structure for improved drying, heat resistant: up to 200 °C	440 x 230	1 pc.
3FEDS842408	Silicone mesh basket cover, flexible, with hexagonal structure for improved drying, heat resistant: up to 200 °C	230 x 210	1 pc.
3FEDS842410	Silicone mesh basket cover, rigid, with internal stainless steel frame and hexagonal structure for improved drying, heat resistant: up to 200 °C	230 x 210	1 pc.

Stericlin® stainless steel instrument basket tags

For labelling, classification and displaying information

NEW



Stericlin® stainless steel instrument basket tags are indispensable in every processing department for medical devices as they help identify individual instrument baskets, instruments and sets or even transport trolleys. Important information such as department affiliation, contents, barcodes and much more can be applied to the tags by means of labels, laser or etching engraving and P-Touch labels.

We offer Stericlin® stainless steel instrument basket tags in two versions: Basket tags / Clip tags



The basket tags can be fixed with our silicone plugs (page 54) or silicone cable ties (page 68).

For more information on application and options, contact our sales team or visit us online at www.stericlin.com.

Stainless steel basket tag fixated with silicon plugs



Stainless steel clip tag



Holder for plastic tag inserts - Art. 3FEDS843106

Article No.	Description	Size in mm	Contents (pcs.)
3FEDS843124	Stainless steel basket tags, Material: 1.4404	90 × 50	50
3FEDS843120	Stainless steel basket tags, Material: 1.4404	90 × 33	50
3FEDS843118	Stainless steel clip tags, Material: 1.4310	90 × 30	25
3FEDS843122	Stainless steel clip tags, Material: 1.4310	90 × 50	25
3FEDS843102	Stainless steel clip tags, Material: 1.4310	30 × 30	25
3FEDS843114	Stainless steel clip tags, Material: 1.4310	70 × 30	25
3FEDS843104	Stainless steel clip tags, Material: 1.4310	42 × 36	25
3FEDS843108	Stainless steel clip tags, Material: 1.4310	55 × 30	25
3FEDS843116	Stainless steel clip tags, Material: 1.4310	75 × 35	25
3FEDS843106	Stainless steel clip tags holder for plastic tags inserts, Material: 1.4310	50 × 20	25
3FEDS843110	Stainless steel clip tags holder for plastic tags inserts, Material: 1.4310	60 × 40	25
3FEDS843112	Stainless steel basket tags, Material: 1.4404	65 × 24	5




Stainless steel instrument basket tags with colour identification

For labelling, allocation and transmission of information

NEW

For the first time, our new stericlin® stainless steel instrument basket tags with colour identification made of silicone combine the material advantages of durable stainless steel with the labelling options of conventional plastic tags. The coloured silicone inserts can be assigned to departments, priorities or affiliations, for example.



Art. 3FEDS843152 - xxx170



Art. 3FEDS843152 - xxx170



Art. 3FEDS843152

Article No.	Description	Size in mm	Colour	Carton content (pcs.)
3FEDS843152	Stainless steel clip tags with silicone colour identification	90 x 30	blue	10
3FEDS843154	Stainless steel clip tags with silicone colour identification	90 x 30	red	10
3FEDS843156	Stainless steel clip tags with silicone colour identification	90 x 30	yellow	10
3FEDS843158	Stainless steel clip tags with silicone colour identification	90 x 30	green	10
3FEDS843168	Stainless steel clip tags with silicone colour identification	90 x 50	blue	10
3FEDS843170	Stainless steel clip tags with silicone colour identification	90 x 50	red	10
3FEDS843172	Stainless steel clip tags with silicone colour identification	90 x 50	yellow	10
3FEDS843174	Stainless steel clip tags with silicone colour identification	90 x 50	green	10

Stericlin® plastic instrument basket tags

In different colours to differentiate between departments or priorities


NEW



Our stericlin® instrument basket tags made of reinforced polyamide plastic combine the flexibility and durability of a plastic tag with improved adhesion of information mediums to the tag.

We offer different colours to differentiate between departments or priorities.

The instrument basket tags can be fixed with our silicone plugs (page 54) or silicone cable ties (page 68).



Art. 3FEDS843402



Art. 3FEDS843404



Art. 3FEDS843406

Article No.	Description	Size in mm	Colour	Carton content (pcs.)
3FEDS843402	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	blue	100
3FEDS843404	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	yellow	100
3FEDS843406	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	grey	100
3FEDS843408	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	green	100
3FEDS843410	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	sky blue	100
3FEDS843412	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	purple	100
3FEDS843414	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	royal blue	100
3FEDS843416	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	orange	100
3FEDS843418	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	pink	100
3FEDS843420	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	red	100
3FEDS843422	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	black	100
3FEDS843424	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	white	100
3FEDS843426	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	terracotta	100



Stericlin® tray tags made of reinforced polyamide plastic

Article No.	Description	Size in mm	Colour	Carton content (pcs.)
3FEDS843428	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	lime	100
3FEDS843430	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	turquoise	100
3FEDS843432	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	mustard	100
3FEDS843434	Material: polyamide 30% glass filled nylon, heat resistant up to 134 °C	90 x 38	tan	100



Art. 3FEDS843428



Art. 3FEDS843430



Art. 3FEDS843432



Art. 3FEDS843434

Kögel baskets and accessories

For protected storage and organisation of sterile goods

NEW



Wistainer system for nonwoven packaging



Instrument baskets and trays / Optics baskets



Systems for small parts storage & special sieves



Accessories



Sterile goods baskets

Instrument baskets are used to provide the instruments and are essential for successful reprocessing in the CSSD. Specifically, the design, the materials used, safe handling and high, durable quality all have a significant influence on the success of cleaning and the subsequent packaging process.

To satisfy all requirements, we offer wire mesh baskets, perforated plate baskets and all accessories from Kögel GmbH in our new range.

Below are a few reference products that we have in stock for you. Please contact our sales team for enquiries about other options.

Carton content 1 piece each

Article No.	Description	Size (mm)	Mesh size (mm)
3FEDS850104	System wire mesh tray 1/1 SL 50/50 including system clips	482 × 250 × 100	4 × 4 × 1
3FEDS850114	Lid for system wire mesh tray 1/2 SL70 including removable clips	242 × 241 × 9	4 × 4 × 1
3FEDS850135	System basket 1/1, 250, with handle opening	580 × 298 × 249	N/A
3FEDS850214	Wire mesh tray 1/1-50	482 × 250 × 50	4 × 4 × 1
3FEDS850250	Tray with perforated sides and drop handles 1/1-60, with stacking frame	480 × 250 × 65	Base: 4 × 4 × 1 Walls: 2 × 2 × 1
3FEDS850276	Optic tray 445, can be loaded in two ways, including lid, clips and silicone chain	445 × 84 × 69	17,5 × 17,5 × 2
3FEDS850309	System fine mesh tray set 1/8, including lid and clips	121 × 121 × 35 (including cover)	1 × 1 × 0,5
3FEDS850386	Kirschner wire dispenser for 5 Kirschner wire variants of Ø 0,8/1,0/1,2/1,3/1,4 mm, of length 150 mm	162 × 72 × 40	N/A
3FEDS850370	Screw bench set for screws up to a length of 40 mm, including lid and clips	Screw bench : 215 × 100 × 5, Cover : 222 × 107 × 6	N/A
3FEDS850411	Holder screwable, 2 pins	55 × 18,5 × Ø 6	N/A
3FEDS850428	Silicone holder for one instrument Ø 12 mm, open, suitable for screwable holder 3FEDS850411 and clip-on holder 3FEDS850416	45 × 33 × 5	N/A
3FEDS850448	Instrument cover for mesh trays 1/2, to secure instruments, strung with PA threads	200 × 214 × 10	12 × 12 × 1
3FEDS850003	Sterile goods basket 1 DIN-StE, with handle openings	575 × 278 × 260	Base: 22 × 22 Walls: 22 × 40
3FEDS850015	Wire container size 4	230 × 150 × 125	N/A



Kögel instrument baskets made of perforated plate

For reprocessing, protected storage and optimum organisation as well as transport of sterile goods

NEW


The Kögel instrument baskets from perforated sheeting are an ideal solution when using soft packaging. The perforations in the side walls protect both the valuable sterile items and the soft packaging from damage and the overlap-free weld seams reduce the risk of contamination.

A modular system of accessories (e.g. lids, silicone holders, etc.) allows variable use of the screen baskets.

All perforated plate instrument baskets are made of high-quality stainless steel (material 1.4301), electrolytically polished, processed burr-free and are stackable thanks to the base frame.

Carton content 1 piece each

Article No.	Description	Dimensions (mm)	Mesh size (mm)
3FEDS850249	Basket with perforated sheet metal walls and drop handles 1/2-60, with stacking frame	240 × 250 × 65	Base: 4 × 4 × 1 Walls: 2 × 2 × 1
3FEDS850250	Basket with perforated walls and drop handles 1/1-60, with stacking frame	480 × 250 × 65	Base: 4 × 4 × 1 Walls: 2 × 2 × 1
3FEDS850251	Basket with perforated sheet metal walls and drop handles 1/1-100, with stacking frame	480 × 250 × 105	Base: 4 × 4 × 1 Walls: 2 × 2 × 1
3FEDS850252	Cover 1/1 with twist lock	478 × 247 × 16,5	6 × 6 × 1
3FEDS850253	Cover 1/2 with twist lock	238 × 247 × 16,5	6 × 6 × 1



Kögel wire mesh instrument baskets

For reprocessing, protected storage and optimum organisation as well as transport of sterile goods

NEW



Art. 3FEDS850203



Art. 3FEDS850206



Art. 3FEDS850210



Art. 3FEDS850213



Art. 3FEDS850215

The Kögel wire mesh instrument baskets are manufactured with handling safety and reprocessing efficiency in mind. The extremely comprehensive product range, as well as customer-specific solutions, allow exact adaptation to medical and logistical requirements.

The patented double frame drastically reduces repair costs and protects staff and sterile goods, as no sharp/pointed wires can stick out.

All wire mesh baskets are made of high-quality stainless steel (material 1.4301), electrolytically polished, processed burr-free and are stackable thanks to the base frame. A modular system of accessories (e.g. lids, silicone holders, etc.) allows variable use of the baskets. For more information on application and options, please contact our sales team.

Carton content 1 piece each

Article No.	Description	Dimensions (mm)	Mesh size (mm)
3FEDS850203	Instrument basket 1/2-30	240 × 250 × 30	4 × 4 × 1
3FEDS850204	Instrument basket 1/2-50	240 × 250 × 50	4 × 4 × 1
3FEDS850205	Instrument basket 1/2-70	240 × 250 × 70	5 × 5 × 1
3FEDS850206	Instrument basket 1/2-100	240 × 250 × 100	5 × 5 × 1
3FEDS850207	Instrument basket 3/4-50	362 × 250 × 50	4 × 4 × 1
3FEDS850208	Instrument basket 3/4-70	362 × 250 × 70	5 × 5 × 1
3FEDS850209	Instrument basket 3/4 L-30	404 × 250 × 30	4 × 4 × 1
3FEDS850210	Instrument basket 3/4 L-50	404 × 250 × 50	4 × 4 × 1
3FEDS850211	Instrument basket 3/4 L-70	404 × 250 × 70	5 × 5 × 1
3FEDS850212	Instrument basket 3/4 L-100	404 × 250 × 100	5 × 5 × 1
3FEDS850213	Instrument basket 1/1-30	482 × 250 × 30	4 × 4 × 1
3FEDS850214	Instrument basket 1/1-50	482 × 250 × 50	4 × 4 × 1
3FEDS850215	Instrument basket 1/1-70	482 × 250 × 70	5 × 5 × 1



Kögel wire mesh instrument baskets

Article No.	Description	Dimensions (mm)	Mesh size (mm)
3FEDS850216	Instrument basket 1/1-100	482 × 250 × 100	5 × 5 × 1
3FEDS850217	Instrument basket ISO	482 × 340 × 50	4 × 4 × 1
3FEDS850218	Instrument basket 530-30	530 × 250 × 30	4 × 4 × 1
3FEDS850219	Instrument basket 530-50	530 × 250 × 50	4 × 4 × 1
3FEDS850220	Instrument basket 530-70	530 × 250 × 70	5 × 5 × 1
3FEDS850221	Instrument basket 530-100	530 × 250 × 100	5 × 5 × 1
3FEDS850222	Instrument basket XL 560/50	560 × 250 × 50	4 × 4 × 1
3FEDS850223	Instrument basket XL 560/70	560 × 250 × 70	5 × 5 × 1



Art. 3FEDS850217



Art. 3FEDS850221




Art. 3FEDS850223

Stainless steel baskets for small parts with clip closure

For reprocessing, protected storage and optimum organisation as well as transport of sterile goods

NEW



Baskets for small parts are used to prepare various small parts (screws, implants, etc.) in the operating theatre and are the basic support for reprocessing in the sterilisation unit. They also facilitate instrument organisation in the wire basket and in the CSSD. Our screen baskets for small parts provide an economical alternative to comparable products on the market and are designed for efficiency and quality.

A wide range of dimensions assures the necessary flexibility and can also be extended with customised variants for larger purchase quantities. We offer fine meshes of 1,6 × 1,6 mm as standard as well as ultra-fine meshes of 0,5 × 0,5 mm for special applications, such as the preparation of K-wires, fine probes and other small parts.

Carton content 1 piece each

Article No.	Description	Dimensions L × W × H (mm)	Mesh size (mm)
3FEDS842102	fine	40 × 40 × 20	1,6 × 1,6 × 0,7
3FEDS842104	fine	40 × 40 × 30	1,6 × 1,6 × 0,7
3FEDS842106	fine	70 × 70 × 30	1,6 × 1,6 × 0,7
3FEDS842108	fine	80 × 40 × 20	1,6 × 1,6 × 0,7
3FEDS842110	fine	80 × 40 × 30	1,6 × 1,6 × 0,7
3FEDS842112	fine	80 × 80 × 34	1,6 × 1,6 × 0,7
3FEDS842114	fine	80 × 80 × 40	1,6 × 1,6 × 0,7
3FEDS842116	fine	80 × 80 × 50	1,6 × 1,6 × 0,7
3FEDS842118	fine	90 × 90 × 50	1,6 × 1,6 × 0,7
3FEDS842120	fine	100 × 100 × 50	1,6 × 1,6 × 0,7
3FEDS842122	fine	105 × 70 × 25	1,6 × 1,6 × 0,7
3FEDS842124	fine	150 × 50 × 35	1,6 × 1,6 × 0,7
3FEDS842126	fine	190 × 85 × 100	1,6 × 1,6 × 0,7
3FEDS842128	fine	200 × 100 × 35	1,6 × 1,6 × 0,7
3FEDS842130	fine	220 × 140 × 50	1,6 × 1,6 × 0,7
3FEDS842132	fine	235 × 155 × 40	1,6 × 1,6 × 0,7
3FEDS842134	fine	240 × 90 × 40	1,6 × 1,6 × 0,7
3FEDS842136	fine	240 × 120 × 35	1,6 × 1,6 × 0,7
3FEDS842138	fine	275 × 175 × 35	1,6 × 1,6 × 0,7
3FEDS842140	fine	275 × 200 × 35	1,6 × 1,6 × 0,7
3FEDS842152	ultrafine	80 × 40 × 30	0,5 × 0,5 × 0,3
3FEDS842154	ultrafine	80 × 80 × 34	0,5 × 0,5 × 0,3
3FEDS842156	ultrafine	100 × 100 × 50	0,5 × 0,5 × 0,3
3FEDS842158	ultrafine	180 × 130 × 30	0,5 × 0,5 × 0,3
3FEDS842160	ultrafine	230 × 100 × 60	0,5 × 0,5 × 0,3
3FEDS842162	ultrafine	240 × 120 × 60	0,5 × 0,5 × 0,3



Special instrument baskets made of stainless steel with silicone holders

For reprocessing, protected storage and optimum organisation as well as transport of ophthalmology and dental instruments.



NEW

Ophthalmology baskets are used for the safe storage of the finest micro instruments. The instruments are securely fixed during the entire reprocessing cycle as well as during transport. The baskets are available in 3 different sizes and can be an economical alternative to cost-intensive custom-made products.

With different sizes and colour coding, dental baskets for hand instruments facilitate the organisation of instrument sets, tailored to your needs. The design of the trays ensures that the instruments are very easy to rinse and dry. This ensures efficient reprocessing.



Carton content 1 piece each

Article No.	Description	Dimensions L x W x H (mm)
3FEDS842202	Ophthalmology sieve (micro) with silicone holders / strips on base and lid Side walls are made of perforated sheet metal	240 x 250 x 40
3FEDS842204	Ophthalmology sieve (micro) with silicone holders / strips on base and lid Side walls are made of perforated sheet metal	340 x 250 x 40
3FEDS842206	Ophthalmology sieve (micro) with silicone holders / strips on base and lid Side walls are made of perforated sheet metal	440 x 250 x 40
3FEDS842252	Dental instrument tray with twist lock and spring holder Side walls are made of perforated sheet metal	220 x 125 x 40
3FEDS842258	Dental instrument tray with twist lock and spring holder Side walls are made of perforated sheet metal	250 x 220 x 40
3FEDS842254	Dental sieve (fine) with tension lock with silicone holders on bottom and lid	235 x 155 x 40
3FEDS842256	Dental sieve (fine) with tension lock with silicone holders on bottom and lid	240 x 90 x 40



Endoscope baskets made of stainless steel with silicone holders

For reprocessing, protected storage and optimum organisation as well as transport of rigid items and lenses



Endoscope baskets offer safe protection for expensive and sensitive endoscopes during the entire reprocessing or use cycle and are equipped with a twist lock.

The silicone pads on the base and lid provide a stable hold without damaging the endoscopes and lenses.

Carton content 1 piece each

Article No.	Description	Dimensions L x W x H (mm)
3FEDS842222	For one lens	180 x 80 x 52
3FEDS842224	For one lens	290 x 80 x 52
3FEDS842226	For two lenses	290 x 80 x 52
3FEDS842228	For one lens	460 x 80 x 52
3FEDS842230	For two lenses	460 x 80 x 52
3FEDS842232	For one lens	580 x 160 x 52
3FEDS842234	For two lenses	580 x 160 x 52
3FEDS842236	For one lens	670 x 80 x 52
3FEDS842240	For one lens	800 x 80 x 52
3FEDS842238	With integrated sieve for small parts / for a lens	640 x 150 x 77

We offer you more ...!



steriCLIN[®]

Vereinigte Papierwarenfabriken · GmbH Industriestraße 6 · D-91555 Feuchtwangen
Tel +49 (0) 9852 901-289 · contact@stericlin.com · www.stericlin.com

Art. No. 1010531 · 01/22 · VP